



Integra®
Upper
Products Catalogue

Table of Contents

Warranty Information	3
Integra Upper Extremity Hand Deformity & Fracture Repair	5
Pyrocarbon PIP Implant	6
Silicon PIP Implant	7
Pyrocarbon MCP Implant	8
Silicon MCP Implant	10
The Thumb carpometacarpal (CMC) joint	12
Pyrodisk™	12
NuGrip™ hemi arthroplasty implant	13
CMC Implant Saddle™	14
PCS spacer	15
Integra Upper Extremity Fracture Repair	17
Safeguard™ Mini-open carpal tunnel release system	18
Kompressor™ compression screw system	19
Hand Fractures and Deformity repair set	20
Upper modules	21
Other possible drills	22
QWIX® Fixation Screw	23
BOLD® Compression Screw	23
UNI-CLIP® Notched & Standard Staples	24
SPIN® SNAP-OFF® screw	25
Integra Upper Extremity Wrist Arthritis & Deformity Repair	27
Universalz™ total wrist implant system	28
Integra® Total Wrist Fusion System (ITWFS)	30
Spider™ – Mini Spider™ / limited wrist fusion system	32
PyroCarbon Lunate Implant	34
First Choice™ system (DRUJ)	35
Wifix® plate – Surfix® volar plate for distal radius	38
Integra Upper Extremity Elbow pathology solutions	41
Elbow pathologies solutions	42
Pycarbon Radial Head implants (CMRH)	43
Metal radial head	44
RADFx™ radius fixation system	45
Katalyst™ telescoping bipolar radial head system	47
EndoRelease™ endoscopic cubital tunnel release system	48
Integra Upper Extremity Shoulder repair	51
Titan™ Humeral Resurfacing	52
Titan™ Modular Total Shoulder system	54
PyroTitan™ Humeral Resurfacing Arthroplasty	57
PSH plate – Surfix® Proximal humeral plate	59
References	61

Pricing:

Prices stated in specific written quotations are firm for thirty days from the date given, and are otherwise subject to change without prior notice. Pricing terms stated on written agreements are governed by such agreements.

Minimum Order Requirements:

Minimum order requirement is €250 (a €20 minimum order requirement charge will be added to any order under €250).

Ordering Procedure:

A written purchase order on the customer's form may be requested for purchases of Integra LifeSciences products.

Acceptance of Orders:

Orders are accepted upon approval by Integra Customer Service.

Return Policy:

- Authorization from Customer Service must be obtained prior to returning product.
- Sterile product must be returned in unopened, undamaged cartons, packed to prevent damage.
- Non-sterile product must be returned in unused saleable condition in original package.
- Custom or special order products will not be accepted for credit.
- Credit will be issued for goods returned prior to ninety days from ship date with a 20% restocking charge. This assumes that the product returned is not damaged and can be verified to have not been used or opened.

Integra Limited Warranty – Integra products

INTEGRA LIFESCIENCES CORPORATION and its wholly owned subsidiaries ("INTEGRA") warrant to INTEGRA authorized distributors and the original purchaser only that each new INTEGRA product is free from manufacturing defects in material and workmanship under normal use and service for a period of one (1) years (except as otherwise expressly provided as to accessory items) from the date of delivery by INTEGRA (or its authorized distributor) to the original purchaser, but in no event beyond the expiration date stated on any product labeling. For purposes of products sold by INTEGRA through an authorized distributor of INTEGRA, "original purchaser" shall include the purchaser of INTEGRA products to whom the distributor first sells the product.

• Surgical instruments are guaranteed to be free from defects in material and workmanship when maintained and cleaned properly and used normally for their intended purpose.

• Any covered product that is placed by INTEGRA under a lease, rental or installment purchase agreement and that requires repair service during the term of such placement agreement shall be repaired in accordance with the terms of such agreement. If any covered defect occurs during the warranty period or term of such placement agreement, the purchaser or distributor should communicate directly with INTEGRA. If purchaser or distributor seeks to invoke the terms of this warranty, the product must be returned to INTEGRA. The defective product should be returned promptly, properly packaged and postage prepaid. Loss or damage in return shipment to INTEGRA shall be at sender's risk. INTEGRA's sole responsibility under this warranty shall be repair or replacement, at INTEGRA's sole discretion at INTEGRA's expense, subject to the terms of this warranty and applicable agreements.

IN NO EVENT SHALL INTEGRA BE LIABLE FOR ANY INCIDENTAL, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES IN CONNECTION WITH THE ACQUISITION OR USE OF ANY INTEGRA PRODUCT. Further, this warranty shall not apply to, and INTEGRA shall not be responsible for, any loss arising in connection with the purchase or use of any INTEGRA product that has been repaired by anyone other than an authorized INTEGRA service representative or altered in any way so as, in INTEGRA's judgment, to affect its stability or reliability, or which has been subject to misuse, negligence or accident, or which has been used otherwise than in accordance with the instructions furnished by INTEGRA.

Customer Service Contact Information:

International

+33 (0)4 37 47 59 50
+33 (0)4 37 47 59 25 (Fax)
csemea@Integralife.com

Benelux

+32 (0)2 257 4130
+32 (0)2 253 2466 (Fax)
custsvcbenelux@Integralife.com

France

+33 (0)4 37 47 59 10
+33 (0)4 37 47 59 29 (Fax)
cs-ortho@Integralife.com

Switzerland

+41 (0)2 27 21 23 30
+41 (0)2 27 21 23 99 (Fax)
custsvcsuisse@Integralife.com

United Kingdom

+44 (0)1 264 345 780
+44 (0)1 264 363 782 (Fax)
custsvcs.uk@Integralife.com

THIS INTEGRA LIMITED WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AND OF ALL OTHER OBLIGATIONS OR LIABILITIES ON INTEGRA'S PART OR THE PART OF ITS DISTRIBUTORS, AND INTEGRA NEITHER ASSUMES NOR AUTHORIZES ANY REPRESENTATIVE OR OTHER PERSON TO ASSUME FOR IT ANY OTHER LIABILITY IN CONNECTION WITH INTEGRA'S PRODUCTS.

INTEGRA DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR APPLICATION OR WARRANTY OF QUALITY AS WELL AS ANY EXPRESS OR IMPLIED WARRANTY TO PATIENTS. No warranty or guarantee may be created by any act or statement nor may this Standard Warranty be modified in any way, except as a result of a writing signed by an officer of INTEGRA. These limitations on the creation or modification of this warranty may not be waived or modified orally or by any conduct.

IN NO EVENT SHALL INTEGRA AUTHORIZED DISTRIBUTORS BE LIABLE TOWARDS THE ORIGINAL PURCHASER FOR ANY INCIDENTAL, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES IN CONNECTION WITH THE ACQUISITION OR USE OF ANY INTEGRA PRODUCT. Further, this warranty shall not apply to, and INTEGRA authorized distributors shall not be responsible towards the original purchaser for, any loss, arising in connection with the purchase or use of any INTEGRA product that has been repaired by anyone other than an authorized INTEGRA service representative or altered in any way so as to affect its stability or reliability, or which has been subject to misuse, negligence or accident, or which has been used otherwise than in accordance with the instructions furnished by INTEGRA. THIS INTEGRA DISTRIBUTOR LIMITED WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES TOWARDS THE ORIGINAL PURCHASER, EXPRESS OR IMPLIED, AND OF ALL OTHER OBLIGATIONS OR LIABILITIES TOWARDS THE ORIGINAL PURCHASER ON INTEGRA AUTHORIZED DISTRIBUTOR'S PART.

INTEGRA AUTHORIZED DISTRIBUTORS DISCLAIM ALL OTHER WARRANTIES TOWARDS THE ORIGINAL PURCHASER, EXPRESS OR IMPLIED INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR APPLICATION OR WARRANTY OF QUALITY AS WELL AS ANY EXPRESS OR IMPLIED WARRANTY TO PATIENTS.

All the references numbers mentioned on this document are CE marked according to European council directive 93/42/EEC on medical devices and its relatives, unless specifically identified as "NOT CE MARKED".



Integra®
Upper Extremity
Hand Deformity
& Fracture Repair

Pyrocarbon PIP Implant

The Pyrocarbon PIP is a 2-component total joint replacement made from biocompatible Pyrocarbon material.

PIP is indicated for use in arthroplasty of the proximal interphalangeal (PIP) joint when the patient:

- Has soft tissue and bone that can provide adequate stabilization and fixation under high-demand loading conditions after reconstruction;
- Needs a revision of a failed PIP prosthesis, or has pain, limited motion, or joint subluxation/dislocation secondary to damage or destruction of the articular cartilage.



PIP implants

References	Description
PIP-200-10D-WW	Proximal Interphalangeal Size 10 Distal
PIP-200-10P-WW	Proximal Interphalangeal Size 10 Proximal
PIP-200-20D-WW	Proximal Interphalangeal Size 20 Distal
PIP-200-20P-WW	Proximal Interphalangeal Size 20 Proximal
PIP-200-30D-WW	Proximal Interphalangeal Size 30 Distal
PIP-200-30P-WW	Proximal Interphalangeal Size 30 Proximal
PIP-200-40D-WW	Proximal Interphalangeal Size 40 Distal
PIP-200-40P-WW	Proximal Interphalangeal Size 40 Proximal



Optional Instrument Set Components

References	Description
OSG-200-10PV	PIP Volar approach osteotomy guide, Size 10
OSG-200-20PV	PIP Volar approach osteotomy guide, Size 20
OSG-200-30PV	PIP Volar approach osteotomy guide, Size 30
OSG-200-40PV	PIP Volar approach osteotomy guide, Size 40



PIP Instrument Set

References	Description
CSA-200-02	Instrument Base
CSA-000-01	Instrument Lid
CSA-200-03	Instrument Insert
ALG-100-00	Alignment Guide, E/M
AWL-100-01	Awl, Starter
AWL-200-00	PIP Alignment Awl
BRH-200-10D	PIP, Cutting Broach, Distal, Size 10
BRH-200-10P	PIP, Cutting Broach, Proximal, Size 10
BRH-200-20D	PIP, Cutting Broach, Distal, Size 20
BRH-200-20P	PIP, Cutting Broach, Proximal, Size 20
BRH-200-30D	PIP, Cutting Broach, Distal, Size 30
BRH-200-30P	PIP, Cutting Broach, Proximal, Size 30
BRH-200-40D	PIP, Cutting Broach, Distal, Size 40
BRH-200-40P	PIP, Cutting Broach, Proximal, Size 40
EXT-200-00	Extractor
IMP-200-00D	PIP, Impactor, Distal
IMP-200-00P	PIP, Impactor, Proximal
OSG-200-00	PIP Vertical Cut Guide
OSG-200-10P	PIP, Proximal Cut Guide, Size 10
OSG-200-20P	PIP, Proximal Cut Guide, Size 20
OSG-200-30P	PIP, Proximal Cut Guide, Size 30
OSG-200-40P	PIP, Proximal Cut Guide, Size 40
TMP-200-01	PIP Distal Template
TRL-202-10D	PIP Distal Ti Trial Size 10
TRL-202-10P	PIP Proximal Ti Trial Size 10
TRL-202-20D	PIP Distal Ti Trial Size 20
TRL-202-20P	PIP Proximal Ti Trial Size 20
TRL-202-30D	PIP Distal Ti Trial Size 30
TRL-202-30P	PIP Proximal Ti Trial Size 30
TRL-202-40D	PIP Distal Ti Trial Size 40
TRL-202-40P	PIP Proximal Ti Trial Size 40
INS-200-01	Complete Instrument Set

By request it is possible to order a set with Volar saw guides that have to be used when performing the volar approach and additionally ordered to the PIP set

Silicon PIP Implant

Silicone PIP Finger Joint Prosthesis is intended for cementless replacement of the proximal interphalangeal (PIP) joint, where disabled by rheumatoid, degenerative, or traumatic arthritis.


SPIP implants

References	Description
SPIP-520-0-WW	Silicone PIP, Size 0
SPIP-520-1-WW	Silicone PIP, Size 1
SPIP-520-2-WW	Silicone PIP, Size 2
SPIP-520-3-WW	Silicone PIP, Size 3
SPIP-520-4-WW	Silicone PIP, Size 4
SPIP-520-5-WW	Silicone PIP, Size 5



SPIP Instrument Set

References	Description
CSA-520-05	Instrument Base
CSA-000-04	Instrument Lid
CSA-520-07	Instrument tray Base
CSA-520-06	Instrument tray Lid
ALG-100-00	Alignment Guide, E/M
AWL-520-01	Starter Awl
AWL-200-00	PIP Alignment Awl
TRL-520-0	Silicone PIP Sizing Trial Size 0
TRL-520-1	Silicone PIP Sizing Trial Size 1
TRL-520-2	Silicone PIP Sizing Trial Size 2
TRL-520-3	Silicone PIP Sizing Trial Size 3
TRL-520-4	Silicone PIP Sizing Trial Size 4
TRL-520-5	Silicone PIP Sizing Trial Size 5
OSG-442-00	THB Vertical Cut Guide
BRH-525-0P	Silicone PIP Proximal Broach Size 0
BRH-525-1P	Silicone PIP Proximal Broach Size 1
BRH-525-2P	Silicone PIP Proximal Broach Size 2
BRH-525-3P	Silicone PIP Proximal Broach Size 3
BRH-525-4P	Silicone PIP Proximal Broach Size 4
BRH-525-5P	Silicone PIP Proximal Broach Size 5
BRH-525-0D	Silicone PIP Distal Broach Size 0
BRH-525-1D	Silicone PIP Distal Broach Size 1
BRH-525-2D	Silicone PIP Distal Broach Size 2
BRH-525-3D	Silicone PIP Distal Broach Size 3
BRH-525-4D	Silicone PIP Distal Broach Size 4
BRH-525-5D	Silicone PIP Distal Broach Size 5
INS-520-01	Complete set



Pyrocarbon MCP Implant

The MCP set contains:

- 2 Component anatomical total joint replacement made out of biocompatible Pyrocarbon.
- MCP Silicon spacer implant silicone spacer.

MCP is indicated for use as a total joint replacement of index, long, ring, and small finger metacarpophalangeal (MCP) joints that exhibit symptoms of pain, limited motion, or inadequate bony alignment (i.e., subluxation/dislocation) secondary to articular destruction or degenerative disease related to rheumatoid arthritis, systemic lupus erythematosus, osteoarthritis, or post-traumatic arthritis where soft tissue reconstruction can provide adequate stabilization.



MCP implants

References Description

MCP-110-05D-WW	Metacarpophalangeal Joint – Size 05, Distal
MCP-110-05P-WW	Metacarpophalangeal Joint – Size 05, Proximal
MCP-100-10D-WW	Metacarpophalangeal Joint – Size 10, Distal
MCP-100-10P-WW	Metacarpophalangeal Joint – Size 10, Proximal
MCP-100-20D-WW	Metacarpophalangeal Joint – Size 20, Distal
MCP-100-20P-WW	Metacarpophalangeal Joint – Size 20, Proximal
MCP-100-30D-WW	Metacarpophalangeal Joint – Size 30, Distal
MCP-100-30P-WW	Metacarpophalangeal Joint – Size 30, Proximal
MCP-100-40D-WW	Metacarpophalangeal Joint – Size 40, Distal
MCP-100-40P-WW	Metacarpophalangeal Joint – Size 40, Proximal
MCP-100-50D-WW	Metacarpophalangeal Joint – Size 50, Distal
MCP-100-50P-WW	Metacarpophalangeal Joint – Size 50, Proximal




Instrument Set, MCP and SMCP 05-40

References	Description
CSA-100-05	Instrument Base
CSA-000-01	Instrument Lid
CSA-100-06	Instrument Tray
ALG-100-00	Alignment Guide, E/M
AWL-200-00	Alignment Awl
AWL-100-01	Awl, Starter
BRH-100-05D	MCP Distal Broach Size 05
BRH-100-05P	MCP Proximal Broach Size 05
BRH-100-10D	MCP, Broach, Distal, Size 10
BRH-100-10P	MCP, Broach, Proximal, Size 10
BRH-100-20D	MCP, Broach, Distal, Size 20
BRH-100-20P	MCP, Broach, Proximal, Size 20
BRH-100-30D	MCP, Broach, Distal, Size 30
BRH-100-30P	MCP, Broach, Proximal, Size 30
BRH-100-40D	MCP, Broach, Distal, Size 40
BRH-100-40P	MCP, Broach, Proximal, Size 40
EXT-200-00	Extractor
EXT-100-01	MCP, Extractor, Implant
IMP-100-00D	MCP, Impactor, Distal
IMP-100-00P	MCP, Impactor, Proximal
OSG-100-00D	MCP, Osteotomy Guide, Distal
OSG-100-00P	MCP, Osteotomy Guide, Proximal
TRL-100-05D	MCP Distal Trial Size 05
TRL-100-05P	MCP Proximal Trial Size 05
TRL-100-10D	MCP, Trial, Distal, Size 10
TRL-100-10P	MCP, Trial, Proximal, Size 10
TRL-100-20D	MCP, Trial, Distal, Size 20
TRL-100-20P	MCP, Trial, Proximal, Size 20
TRL-100-30D	MCP, Trial, Distal, Size 30
TRL-100-30P	MCP, Trial, Proximal, Size 30
TRL-100-40D	MCP, Trial, Distal, Size 40
TRL-100-40P	MCP, Trial, Proximal, Size 40
TRL-500-05	SMCP Trial Size 05
TRL-500-10	SMCP Trial Size 10
TRL-500-20	SMCP Trial Size 20
TRL-500-30	SMCP Trial Size 30
TRL-500-40	SMCP Trial Size 40
INS-100-02	Complete set

Optional Instrument Set Components

References	Description
BRH-100-50D	MCP Distal Broach Size 50
BRH-100-50P	MCP Proximal Broach Size 50
TRL-100-50D	MCP Distal Trial Size 50
TRL-100-50P	MCP Proximal Trial Size 50
TRL-500-50	SMCP Trial, Size 50



Silicon MCP Implant

Silicone MCP Finger Joint Prosthesis is intended for cementless replacement of the metacarpophalangeal (MCP) joint, where disabled by rheumatoid, degenerative, or traumatic arthritis.

MCP System is used for proper placement. See MCP System for instrument set.

- Instrumentation for implant placement is the same set as for the Pyrocarbon MCP implant.
- Surgical technique and sequence is identical to MCP pyrocarbon implant (NB Possible soft tissue repair).



SMCP implants

References	Description
SMCP-500-05-WW	Silicone MCP, Size 05
SMCP-500-10-WW	Silicone MCP, Size 10
SMCP-500-20-WW	Silicone MCP, Size 20
SMCP-500-30-WW	Silicone MCP, Size 30
SMCP-500-40-WW	Silicone MCP, Size 40
SMCP-500-50-WW	Silicone MCP, Size 50

250
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
MILLIMETERS

Instrument Set, MCP and SMCP 05-40

References	Description
CSA-100-05	Instrument Base
CSA-000-01	Instrument Lid
CSA-100-06	Instrument Tray
ALG-100-00	Alignment Guide, E/M
AWL-200-00	Alignment Awl
AWL-100-01	Awl, Starter
BRH-100-05D	MCP, Distal Broach Size 05
BRH-100-05P	MCP, Proximal Broach Size 05
BRH-100-10D	MCP, Broach, Distal, Size 10
BRH-100-10P	MCP, Broach, Proximal, Size 10
BRH-100-20D	MCP, Broach, Distal, Size 20
BRH-100-20P	MCP, Broach, Proximal, Size 20
BRH-100-30D	MCP, Broach, Distal, Size 30
BRH-100-30P	MCP, Broach, Proximal, Size 30
BRH-100-40D	MCP, Broach, Distal, Size 40
BRH-100-40P	MCP, Broach, Proximal, Size 40
EXT-200-00	Extractor
EXT-100-01	MCP, Extractor, Implant
IMP-100-00D	MCP, Impactor, Distal
IMP-100-00P	MCP, Impactor, Proximal
OSG-100-00D	MCP, Osteotomy Guide, Distal
OSG-100-00P	MCP, Osteotomy Guide, Proximal
TRL-100-05D	MCP, Distal Trial Size 05
TRL-100-05P	MCP, Proximal Trial Size 05
TRL-100-10D	MCP, Trial, Distal, Size 10
TRL-100-10P	MCP, Trial, Proximal, Size 10
TRL-100-20D	MCP, Trial, Distal, Size 20
TRL-100-20P	MCP, Trial, Proximal, Size 20
TRL-100-30D	MCP, Trial, Distal, Size 30
TRL-100-30P	MCP, Trial, Proximal, Size 30
TRL-100-40D	MCP, Trial, Distal, Size 40
TRL-100-40P	MCP, Trial, Proximal, Size 40
TRL-500-05	SMCP Trial Size 05
TRL-500-10	SMCP Trial Size 10
TRL-500-20	SMCP Trial Size 20
TRL-500-30	SMCP Trial Size 30
TRL-500-40	SMCP Trial Size 40
INS-100-02	Complete set

Optional Instrument Set Components

References	Description
BRH-100-50D	MCP, Distal Broach Size 50
BRH-100-50P	MCP, Proximal Broach Size 50
TRL-100-50D	MCP, Distal Trial Size 50
TRL-100-50P	MCP, Proximal Trial Size 50
TRL-500-50	SMCP Trial, Size 50

The Thumb Carpometacarpal (CMC) Joint

Integra® CMC Implants

PyroDisk™

The PyroDisk™ CMC implant is intended to replace the joint between the first metacarpal and the trapezium in cases of rheumatoid arthritis, traumatic arthritis, osteoarthritis or post fracture deformation or bone loss which present as either a painful, unstable thumb, or a thumb with limited range of motion.

PyroDisk™ implants


References	Description
PYD-420-145-WW	PYD Comp. Size 145
PYD-420-165-WW	PYD Comp. Size 165
PYD-420-167-WW	PYD Comp. Size 167
PYD-420-168-WW	PYD Comp. Size 168
PYD-420-187-WW	PYD Comp. Size 187
PYD-420-189-WW	PYD Comp. Size 189



PyroDisk™ instrument set

References	Description
CSA-420-02	Instrument Base
CSA-000-05	Instrument Lid
AWL-420-00	Starter Awl
GOU-420-00	Gouge
SHP-425-14	PyroDisk Shaper Size 14

SHP-425-16	PyroDisk Shaper Size 16
SHP-425-18	PyroDisk Shaper Size 18
TRL-420-145	PYD Trial Size 145
TRL-420-165	PYD Trial Size 165
TRL-420-167	PYD Trial Size 167
TRL-420-168	PYD Trial Size 168
TRL-420-187	PYD Trial Size 187
TRL-420-189	PYD Trial Size 189
INS-420-01	Complete set



NuGrip™

NuGrip™ CMC Implant is intended to replace the proximal end of the first metacarpal in cases of rheumatoid arthritis, traumatic arthritis, osteoarthritis, post fracture deformity or bone loss which presents as either a painful, unstable thumb, or a thumb with limited range of motion.




NuGrip™ implants

References	Description
NUG-443-10S	NuGrip™ Implant Size 10-S
NUG-443-10M	NuGrip™ Implant Size 10-M
NUG-443-20S	NuGrip™ Implant Size 20-S
NUG-443-20M	NuGrip™ Implant Size 20-M
NUG-443-30M	NuGrip™ Implant Size 30-M
NUG-443-30L	NuGrip™ Implant Size 30-L
NUG-443-40M	NuGrip™ Implant Size 40-M
NUG-443-40L	NuGrip™ Implant Size 40-L

NuGrip™ Disposables

References	Description
CMC-DIS-HAL	CMC Disposable Pack for Hall Micro Systems
CMC-DIS-STR	CMC Disposable Pack for Stryker Command II and TPS Micro Drill
CUT-443-S	Cannulated Spherical Cutter Size S
CUT-443-M	Cannulated Spherical Cutter Size M
CUT-443-L	Cannulated Spherical Cutter Size L



NuGrip™ Instruments

References	Description
CSA-443-02	Instrument Base
CSA-000-04	Instrument Lid
CSA-443-03	Instrument Tray
CSA-443-04	Instrument Tray Lid
ALG-100-00	Alignment Guide
AWL-100-01	Starter Awl
AWL-200-00	Alignment Awl
BRH-442-10	Cutting Broach Size 10
BRH-442-20	Cutting Broach Size 20
BRH-442-30	Cutting Broach Size 30
BRH-442-40	Cutting Broach Size 40
EXT-200-00	Trial Extractor
IMP-442-00	NuGrip™ Impactor
OSG-442-00	Vertical Cut Guide
SHP-443-S	Finish Shaper Size S
SHP-443-M	Finish Shaper Size M
SHP-443-L	Finish Shaper Size L
TMP-443-S	Size Template Size S
TMP-443-M	Size Template Size M
TMP-443-L	Size Template Size L
TRL-443-10S	Metal NuGrip™ Trial Size 10S
TRL-443-10M	Metal NuGrip™ Trial Size 10M
TRL-443-20S	Metal NuGrip™ Trial Size 20S
TRL-443-20M	Metal NuGrip™ Trial Size 20M
TRL-443-30M	Metal NuGrip™ Trial Size 30M
TRL-443-30L	Metal NuGrip™ Trial Size 30L
TRL-443-40M	Metal NuGrip™ Trial Size 40M
TRL-443-40L	Metal NuGrip™ Trial Size 40L
EXT-100-01	Implant Extractor
RET-443-00	Hohman Retractor
INS-443-00	Complete set

250
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
MILLIMETERS


CMC Saddle™ Implant

Saddle™ CMC implant is intended to resurface the proximal end of the first metacarpal in cases of rheumatoid arthritis, traumatic arthritis, osteo-arthritis, or post-fracture deformation or bone loss which present as either a painful, unstable thumb, or a thumb with limited range of motion. This is an uncemented prosthesis designed for press fit use only.



Saddle™ CMC implant

References	Description
CMC-410-10	CMC Distal Hemi, Size 10
CMC-410-20	CMC Distal Hemi, Size 20
CMC-410-30	CMC Distal Hemi, Size 30
CMC-410-40	CMC Distal Hemi, Size 40



Instrument Set, Saddle™ CMC

References	Description
CSA-410-02	Instrument Base
CSA-000-01	Instrument Lid
ALG-100-00	Alignment Guide, E/M
AWL-100-01	Awl, Starter
AWL-200-00	Alignment Awl
BRH-410-10	CMC Broach Size 10
BRH-410-20	CMC Broach Size 20
BRH-410-30	CMC Broach Size 30
BRH-410-40	CMC Broach Size 40
EXT-200-00	Extractor
IMP-410-00	CMC Hemi Impactor
OSG-200-00	Vertical Cut Guide
TMP-410-01	CMC Sizing Template
TRL-410-10M	CMC Hemi Trial Metal Size 10
TRL-410-20M	CMC Hemi Trial Metal Size 20
TRL-410-30M	CMC Hemi Trial Metal Size 30
TRL-410-40M	CMC Hemi Trial Metal Size 40
INS-410-00	Complete set

PCS Spacer*


PyroSphere is intended to replace the joint between the first metacarpal and the trapezium in cases of rheumatoid arthritis, traumatic arthritis, osteoarthritis or post-fracture deformation or bone loss which present as either a painful, unstable thumb, or a thumb with limited range of motion.

PyroSphere is also intended for use in the fourth/fifth tarsometatarsal (TMT) joint involvement where degenerative or post-traumatic arthritis presents:

- decreased motion.
- arthritic changes and/or subluxation.
- unstable, stiff, or painful joints.
- degenerative joint disease of the midfoot.
- associated with gout or pseudogout.



References	Description
PCS-430-10-WW	PyroSphere Size 10
PCS-430-20-WW	PyroSphere Size 20
PCS-430-30-WW	PyroSphere Size 30
PCS-430-40-WW	PyroSphere Size 40
PCS-430-50-WW	PyroSphere Size 50



Instrument Set - PyroSphere™

References	Description
CSA-430-01	Instrument Base and Lid
CSA-000-03	
EXT-430-00	Implant Extractor
TMP-400-10	Implant sizer instrument Size 10
TMP-400-20	Implant sizer instrument Size 20
TMP-400-30	Implant sizer instrument Size 30
TMP-400-40	Implant sizer instrument Size 40
TMP-400-50	Implant sizer instrument Size 50
INS-430-00	Instrument Set - PyroSphere

Options Items for Instrument Set

References	Description
TRL-435-10	Pyrosphere Trial Size 10
TRL-435-20	Pyrosphere Trial Size 20
TRL-435-30	Pyrosphere Trial Size 30
TRL-435-40	Pyrosphere Trial Size 40
TRL-435-50	Pyrosphere Trial Size 50
BRH-445-10	Finishing Shapers Size 10
BRH-445-20	Finishing Shapers Size 20
BRH-445-30	Finishing Shapers Size 30
BRH-445-40	Finishing Shapers Size 40
BRH-445-50	Finishing Shapers Size 50

* Available in 5 different sizes

250
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
MILLIMETERS



Integra®
Upper Extremity
Fracture Repair

Safeguard™ Mini-Open Carpal Tunnel Release system

Indications for use:

- The Safeguard™ System is used for the treatment of carpal tunnel syndrome in patients who fail to respond to conservative treatment.

Instruments

References	Description
080001	SafeGuard Guide

Disposable

References	Description
080003	SafeGuard Knife (Individual)
080005	SafeGuard 5-pack knives



Kompressor™ Compression Screw system

The use of the Kompressor compression screw is generally indicated for the reduction and fixation of fractures appropriate for the size of the device. It is indicated for use in the internal fixation of fractures, fusion, and revision. It is also indicated for reconstructive procedures where reduction and fixation of bone fragments is required (e.g. osteotomies).

Kompressor™ Screws system: 4.0 mm screws

References	Description
210414	Kompressor™ screw 14 mm length
210416	Kompressor™ screw 16 mm length
210418	Kompressor™ screw 18 mm length
210420	Kompressor™ screw 20 mm length
210422	Kompressor™ screw 22 mm length
210424	Kompressor™ screw 24 mm length
210426	Kompressor™ screw 26 mm length
210428	Kompressor™ screw 28 mm length
210430	Kompressor™ screw 30 mm length

Kompressor™ Screws system: 4.0 mm screws

References	Description
210432	Kompressor™ screw 32 mm length
210434	Kompressor™ screw 34 mm length
210310	Mini-Kompressor™ screw, 10 mm length
210312	Mini-Kompressor™ screw, 12 mm length
210314	Mini-Kompressor™ screw, 14 mm length
210316	Mini-Kompressor™ screw, 16 mm length
210318	Mini-Kompressor™ screw, 18 mm length
210320	Mini-Kompressor™ screw, 20 mm length
210322	Mini-Kompressor™ screw, 22 mm length
210324	Mini-Kompressor™ screw, 24 mm length
210326	Mini-Kompressor™ screw, 26 mm length



Disposables (Kompressor™)

References	Description
211622	2.2 mm Cannulated Drill Bit
211628	2.8 mm Cannulated Drill Bit
211409	0.9 mm K-wires

Disposables (Mini Kompressor™)


211625	Drill Bit, 2.5 mm, Cannulated
211635	3.5 mm Cannulated Drill Bit
211411	1.1 mm K-wires

Instruments

References	Description
211100	Handle, Drill Guide Assembly
211200	Guide Sleeve Assembly
211300	Center Punch
211501	K-Wire Depth Gauge, STD.
211511	K-Wire Depth Gauge, Mini
211600	3.5 mm Drill Guide
211601	2.5 mm Drill Guide
211610	2.8 mm Drill Guide
211611	2.2 mm Drill Guide
211700	Handle, AO couple
211725	Standard Placement Driver
211720	Mini Placement Driver
211801	Standard Solid Leading Driver
211811	Mini Solid Leading Driver
211900	Standard Trailing Driver
211910	Mini Trailing Driver

Sterilization container

215001	Sterilization Tray
--------	--------------------



Hand Fractures and Deformity Repair Set

It is a set to be used for fractures.

Only one instrumentation module in order to set up 4 screws:


- Bold[®] Compression Screw:
 - > 2.5 mm
 - > 3.0 mm
 - > 3.7 mm
- Qwix[®] Fixation Screw:
 - > 3.0 mm

And two associated optional modules :

- Implant module: for non sterile screws.
- Generic module: for other personal instrumentation and support for 2 or 3 floors for the chosen modules.

Support

References	Description
229996	Support - 2 floors
229990	Support - 3 floors
229970	Forefoot II- lid- generic



Upper Screw Module

Instrument module


229002	Screwdriver hexa 2.0 - cannulated
229005	Screwdriver- AO attachment -hexa 2.0 - cannulated
229003	Screwdriver- T7 star - dia. 0.9 mm - cannulated
229004	Screwdriver- AO attachment - T7 star - dia. 0.9 mm - cannulated
997311	Newdeal - handle - AO straight
229101	Ruler
997301	Depth Gauge
115070S	K-Wire dia. 1.0 L. 70 mm - Sterile
115100S	K-Wire dia. 1.0 L. 100 mm - Sterile
115008S	K-Wire dia. 0.8 L. 70 mm - Sterile
119023S	2 in 1 cannulated drill dia. 2.2/3.0 x L. 32 mm
119025S	2 in 1 cannulated drill dia. 2.2/3.0 x L. 22 mm
119027S	2 in 1 cannulated drill dia. 2.2/3.0 x L. 12 mm
229227S	2 in 1 cannulated drill dia .1.9 x L. 12 mm
229237S	2 in 1 cannulated drill dia. 1.9 x L. 22 mm
229961	Forefoot II - tray - screw module
229992	Forefoot II - mat - screw module



Upper Screw Module

Sterilization Container

229965	Forefoot II - tray - non sterile implants
229975	Forefoot II - rack - non sterile implants



Upper Generic Module

Sterilization Container

229966	Forefoot II - tray - generic
229976	Forefoot II - mat - generic



Other Possible Drills

Reference	Description
159027S	2in1 Drill - dia. 2.2 mm x L12 mm - AO - Cannulated
159025S	2in1 Drill - dia. 2.2 mm x L22 mm - AO - Cannulated
159023S	2in1 Drill - dia. 2.2 mm x L32 mm - AO - Cannulated
119227S	2in1 Drill - dia. 2.2 mm x L12 mm - Non Cannulated
119225S	2in1 Drill - dia. 2.2 mm x L22 mm - Non Cannulated
119223S	2in1 Drill - dia. 2.2 mm x L32 mm - Non Cannulated
119027S	2in1 Drill - dia. 2.2 mm x L12 mm - Cannulated
119025S	2in1 Drill - dia. 2.2 mm x L22 mm - Cannulated
119023S	2in1 Drill - dia. 2.2 mm x L32 mm - Cannulated
159227S	2in1 Drill - dia. 2.2 mm x L12 mm - AO - Non Cannulated
159225S	2in1 Drill - dia. 2.2 mm x L22 mm - AO - Non Cannulated
159223S	2in1 Drill - dia. 2.2 mm x L32 mm - AO - Non Cannulated
229027S	2in1 Drill - dia. 1.9 mm x L12 mm - AO - Cannulated
229037S	2in1 Drill - dia. 1.9 mm x L22 mm - AO - Cannulated
229227S	2in1 Drill - dia. 1.9 mm x L12 mm - Cannulated
229237S	2in1 Drill - dia. 1.9 mm x L22 mm - Cannulated
229028S	2in1 Drill - dia. 1.9 mm x L12 mm - AO - Non Cannulated
229038S	2in1 Drill - dia. 1.9 mm x L22 mm - AO - Non Cannulated
229228S	2in1 Drill - dia. 1.9 mm x L12 mm - Non Cannulated
229238S	2in1 Drill - dia. 1.9 mm x L22 mm - Non Cannulated



QWIX® Fixation Screw, dia. 3.0 mm

(for associated instrumentation, see p. 8)

For fixation of bone fractures or for bone reconstruction:

- Self-drilling and self-tapping.
- Totally intra-osseous fixation.
- K-Wire guided drilling and insertion.
- Material: Titanium alloy TA6V.



Qwix® dia. 3.0 mm

References	Description
111312(S)	L. 12 mm
111314(S)	L. 14 mm
111316(S)	L. 16 mm
111318(S)	L. 18 mm
111320(S)	L. 20 mm
111322(S)	L. 22 mm
111324(S)	L. 24 mm
111326(S)	L. 26 mm
111328(S)	L. 28 mm
111330(S)	L. 30 mm
111332(S)	L. 32 mm
111334(S)	L. 34 mm

Bold® Compression Screw dia. 2.5 mm / 3.0 mm / 3.7 mm

(for associated instrumentation, see p. 8)

For fixation of bone fractures or for bone reconstruction:

- Totally intra-osseous implants.
- Large range of sizes:
 - > 10 to 30 mm for Bold® 2.5 by 2 mm increment.
 - > 10 to 34 mm for Bold® 3.0 by 2 mm increment.
 - > 14 to 34 mm for Bold® 3.7 by 2 mm increment.
- K-Wire guided drilling and insertion.
- Self tapping.
- True & controlled compression.
- Dual threads.
- Material: Titanium alloy TA6V.



Bold® dia 2.5 mm		Bold® dia 3.0 mm		Bold® dia 3.7 mm	
Reference	Length	Reference	Length	Reference	Length
200010 (S)	L. 10 mm	111010 (S)	L. 10 mm	131014 (S)	L. 14 mm
200012 (S)	L. 12 mm	111012 (S)	L. 12 mm	131016 (S)	L. 16 mm
200014 (S)	L. 14 mm	111014 (S)	L. 14 mm	131018 (S)	L. 18 mm
200016 (S)	L. 16 mm	111016 (S)	L. 16 mm	131020 (S)	L. 20 mm
200018 (S)	L. 18 mm	111018 (S)	L. 18 mm	131022 (S)	L. 22 mm
200020 (S)	L. 20 mm	111020 (S)	L. 20 mm	131024 (S)	L. 24 mm
200022 (S)	L. 22 mm	111022 (S)	L. 22 mm	131026 (S)	L. 26 mm
200024 (S)	L. 24 mm	111024 (S)	L. 24 mm	131028 (S)	L. 28 mm
200026 (S)	L. 26 mm	111026 (S)	L. 26 mm	131030 (S)	L. 30 mm
200028 (S)	L. 28 mm	111028 (S)	L. 28 mm	131032 (S)	L. 32 mm
200030 (S)	L. 30 mm	111030 (S)	L. 30 mm	131034 (S)	L. 34 mm
		111032 (S)	L. 32 mm		
		111034 (S)	L. 34 mm		

UNI-CLIP® Notched & Standard Staples

(for associated instrumentation, see p. 9)

For fixation of bone fractures or for bone reconstruction.

- Range sizes:
 > Interaxis: 11, 12, 13, 15 and 20 mm.
 > Leg lengths: 12, 13, 14, 15, 16, 17 and 20 mm.
- Material: Stainless steel 316L.



Standard Staples

Reference	Description
113113	Uni-Clip® interaxis 11.0 x L. 13 mm
113114	Uni-Clip® interaxis 11.0 x L. 14 mm
113115	Uni-Clip® interaxis 11.0 x L. 15 mm
113116	Uni-Clip® interaxis 11.0 x L. 16 mm
113117	Uni-Clip® interaxis 11.0 x L. 17 mm
113213	Uni-Clip® interaxis 12.0 x L. 13 mm
113214	Uni-Clip® interaxis 12.0 x L. 14 mm
113215	Uni-Clip® interaxis 12.0 x L. 15 mm
113216	Uni-Clip® interaxis 12.0 x L. 16 mm
113217	Uni-Clip® interaxis 12.0 x L. 17 mm
113313	Uni-Clip® interaxis 13.0 x L. 13 mm
113314	Uni-Clip® interaxis 13.0 x L. 14 mm
113315	Uni-Clip® interaxis 13.0 x L. 15 mm
113316	Uni-Clip® interaxis 13.0 x L. 16 mm
113317	Uni-Clip® interaxis 13.0 x L. 17 mm
113512	Uni-Clip® interaxis 15.0 x L. 12 mm
113820	Uni-Clip® interaxis 20.0 x L. 20 mm

Notched Staples

Reference	Description
213113(S)	Uni-Clip® interaxis 11.0 x L. 13 mm
213114(S)	Uni-Clip® interaxis 11.0 x L. 14 mm
213115(S)	Uni-Clip® interaxis 11.0 x L. 15 mm
213116(S)	Uni-Clip® interaxis 11.0 x L. 16 mm
213117(S)	Uni-Clip® interaxis 11.0 x L. 17 mm
213213(S)	Uni-Clip® interaxis 12.0 x L. 13 mm
213214(S)	Uni-Clip® interaxis 12.0 x L. 14 mm
213215(S)	Uni-Clip® interaxis 12.0 x L. 15 mm
213216(S)	Uni-Clip® interaxis 12.0 x L. 16 mm
213217(S)	Uni-Clip® interaxis 12.0 x L. 17 mm
213313(S)	Uni-Clip® interaxis 13.0 x L. 13 mm
213314(S)	Uni-Clip® interaxis 13.0 x L. 14 mm
213315(S)	Uni-Clip® interaxis 13.0 x L. 15 mm
213316(S)	Uni-Clip® interaxis 13.0 x L. 16 mm
213317(S)	Uni-Clip® interaxis 13.0 x L. 17 mm
213512(S)	Uni-Clip® interaxis 15.0 x L. 12 mm
213820(S)	Uni-Clip® interaxis 20.0 x L. 20 mm

MILLIMETERS

SPIN[®] SNAP-OFF[®] Screw, dia. 2.0 mm (for associated instrumentation, see p. 8)

For bone fixation.

- Break-off barrel.
- Self-drilling and self-tapping.
- Material: Titanium alloy TA6V.

Reference	Description
112011(S)	Spin [®] dia. 2.0 x L. 11 mm
112012(S)	Spin [®] dia. 2.0 x L. 12 mm
112013(S)	Spin [®] dia. 2.0 x L. 13 mm
112014(S)	Spin [®] dia. 2.0 x L. 14 mm



250
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
MILLIMETERS



Integra®
Upper Extremity
Wrist Arthritis
& Deformity Repair

Universal2™ Total Wrist Implant System

The Universal2™ Total Wrist System is indicated for use in patients suffering pain and/or loss of function due to:

- Traumatic Arthritis
- Osteoarthritis
- Rheumatoid Arthritis
- SLAC Wrist

The Universal2™ Total Wrist may also be indicated for use in the revision of a failed implant, in younger patients with articular joint disease, or in difficult situations where clinical experience indicates that other reconstructive efforts are likely to achieve unsatisfactory results. Use should be limited to those conditions where preoperative exam indicates sufficient bone stock for the support of the implants.



References	Description	References	Description	References	Description			
Radial Implants					Poly Implants			
263100R	Radial Implant, Extra Small, Right	262100	Carpal Poly Implant, Extra Small Standard	264515	4.5 mm Bone Screw, 15 mm non sterile			
263100L	Radial Implant, Extra Small, Left	262200	Carpal Poly Implant, Small, Standard	264520	4.5 mm Bone Screw, 20 mm non sterile			
263200R	Radial Implant, Small, Right	262300	Carpal Poly Implant, Medium Standard	264525	4.5 mm Bone Screw, 25 mm non sterile			
263200L	Radial Implant, Small, Left	262400	Carpal Poly Implant, Large, Standard	264530	4.5 mm Bone Screw, 30 mm non sterile			
263300R	Radial Implant, Medium, Right	262101	Carpal Poly Implant, Extra Small +1	264535	4.5 mm Bone Screw, 35 mm non sterile			
263300L	Radial Implant, Medium, Left	262201	Carpal Poly Implant, Small +1	Non Sterile Screws				
263400R	Radial Implant, Large, Right	262301	Carpal Poly Implant, Medium +1	264515	4.5 mm Bone Screw, 15 mm non sterile			
263400L	Radial Implant, Large, Left	262401	Carpal Poly Implant, Large +1	264520	4.5 mm Bone Screw, 20 mm non sterile			
Carpal Implants					264525	4.5 mm Bone Screw, 25 mm non sterile		
261101	Carpal Implant, Extra Small	262102	Carpal Poly Implant, Extra Small +2	264530	4.5 mm Bone Screw, 30 mm non sterile			
261201	Carpal Implant, Small	262202	Carpal Poly Implant, Small +2	264535	4.5 mm Bone Screw, 35 mm non sterile			
261301	Carpal Implant, Medium	262302	Carpal Poly Implant, Medium +2	Sterile Screws				
261401	Carpal Implant, Large	262402	Carpal Poly Implant, Large +2	264515S	4.5 mm Bone Screw, 15 mm –sterile			
				264520S	4.5 mm Bone Screw, 20 mm –sterile			
				264525S	4.5 mm Bone Screw, 25 mm –sterile			
				264530S	4.5 mm Bone Screw, 30 mm –sterile			
				264535S	4.5 mm Bone Screw, 35 mm –sterile			

MILLIMETERS

Universal2™ Total Wrist Implant System – Instruments


References	Description	References	Description	References	Description
Disposables		266102	Trial Carpal Poly, X-small +2	268230RT	Radial Cutting Guide, Right
268111	1.1 mm K-Wire 100 mm	266200	Trial, Carpal Poly, Small	268231	Radial Guide Bar
268114	1.4 mm K-Wire 150 mm	266201	Trial, Carpal Poly, Small +1	268325	Carpal Guide Bar, Minimal
268232	Radial Guide Rod, 150 mm	266202	Trial Carpal Poly, Small +2	268335	Carpal Guide Bar, Standard
268233	Radial Guide Rod, 200 mm	266300	Trial, Carpal Poly, Medium	268340	Carpal Cutting Guide
268125	Drill Bit, 2.5 mm, Solid	266301	Trial, Carpal Poly, Medium +1	268410L	Broach, Radial X-Small, Left
211625	Drill Bit, 2.5 mm, Cannulated	266302	Trial Carpal Poly, Medium +2	268410R	Broach, Radial X-Small, Right
268136	Drill Bit, 3.5 mm, Cannulated	266400	Trial, Carpal Poly, Large	268420L	Broach, Radial Small, Left
268145	Drill Bit, 4.5 mm, Cannulated	266401	Trial Carpal Poly, Large +1	268420R	Broach, Radial Small, Right
Instruments		266402	Trial Carpal Poly, Large +2	268430L	Broach, Radial Medium, Left
260515	Trial screw, 4.5 mm Solid Cancellous 15 mm	267100LT	Trial, Radial X-Small, Left	268430R	Broach, Radial Medium, Right
260520	Trial screw, 4.5 mm Solid Cancellous 20 mm	267100RT	Trial, Radial X-Small, Right	268440L	Broach, Radial Large, Left
260525	Trial screw, 4.5 mm Solid Cancellous 25 mm	267200LT	Trial, Radial Small, Left	268440R	Broach, Radial Large, Right
260530	Trial screw, 4.5 mm Solid Cancellous 30 mm	267200RT	Trial, Radial Small, Right	268510	Broach Handle
260535	Trial screw, 4.5 mm Solid Cancellous 35 mm	267300LT	Trial, Radial Medium, Left	268610	T handle
265100	Trial, Carpal X-Small	267300RT	Trial, Radial Medium, Right	268640	Carpal Poly Impactor
265200	Trial, Carpal Small	267400LT	Trial, Radial Large, Left	268650	Radial Impactor
265300	Trial, Carpal Medium	267400RT	Trial, Radial Large, Right	268660	Poly Impactor
265400	Trial, Carpal Large	268100	Modular Drill Guide	268700	AO Quick Couple Driver
266100	Trial, Carpal Poly, X-Small	268120	Guide Plate Extra Small	268706	6mm Counter Sink
266101	Trial Carpal Poly, X-Small +1	268121	Guide Plate, Small	268725	Shaft, Hex Driver 2.5 mm
		268122	Guide Plate, Medium	Sterilization container	
		268123	Guide Plate Large	260100	Sterilization Tray
		268220	Bone Awl	268104	Modular drill guide (K-Wire) sleeve
		268230LF	Radial Cutting Guide, Left		

Integra® Total Wrist Fusion System ITWFS

The Integra® Total Wrist Fusion System is indicated for use in patients with:

- Post-traumatic arthritis of the joints of the wrist.
- Rheumatoid wrist deformities requiring restoration.
- Complex carpal instability.
- Post-septic arthritis of the wrist.
- Severe unremitting wrist pain related to motion.
- Brachial plexus nerve palsies.
- Tumor resection.
- Spastic deformities.
- Pain and/or loss of function due to osteoarthritis.
- Revision of failed partial wrist fusions.




ITWFS implants

References	Description	
303100S	Straight plate	
303101S	Standard bend plate	
303102S	Short bend plate	
303210CS	2.7 mm cortical screw 10 mm long	
303212CS	2.7 mm cortical screw 12 mm long	
303214CS	2.7 mm cortical screw 14 mm long	
303216CS	2.7 mm cortical screw 16 mm long	
303218CS	2.7 mm cortical screw 18 mm long	
303220CS	2.7 mm cortical screw 20 mm long	
303222CS	2.7 mm cortical screw 22 mm long	
303224CS	2.7 mm cortical screw 24 mm long	
303312CS	3.5 mm cortical screw 12 mm long	
303314CS	3.5 mm cortical screw 14 mm long	
303316CS	3.5 mm cortical screw 16 mm long	286224SND
303318CS	3.5 mm cortical screw 18 mm long	2.7 mm surfix screw 24 mm long and 2.7 mm surfix washer
303320CS	3.5 mm cortical screw 20 mm long	186200SND
303322CS	3.5 mm cortical screw 22 mm long	2.7 mm surfix locking screw
303324CS	3.5 mm cortical screw 24 mm long	286312SND
303326CS	3.5 mm cortical screw 26 mm long	3.5 mm surfix screw 12 mm long and 3.5 mm surfix washer
303328CS	3.5 mm cortical screw 28 mm long	286314SND
286210SND	2.7 mm surfix screw 10 mm long and 2.7 mm surfix washer	3.5 mm surfix screw 14 mm long and 3.5 mm surfix washer
286212SND	2.7 mm surfix screw 12 mm long and 2.7 mm surfix washer	286316SND
286214SND	2.7 mm surfix screw 14 mm long and 2.7 mm surfix washer	3.5 mm surfix screw 16 mm long and 3.5 mm surfix washer
286216SND	2.7 mm surfix screw 16 mm long and 2.7 mm surfix washer	286318SND
286218SND	2.7 mm surfix screw 18 mm long and 2.7 mm surfix washer	3.5 mm surfix screw 18 mm long and 3.5 mm surfix washer
286220SND	2.7 mm surfix screw 20 mm long and 2.7 mm surfix washer	286320SND
286222SND	2.7 mm surfix screw 22 mm long and 2.7 mm surfix washer	3.5 mm surfix screw 20 mm long and 3.5 mm surfix washer
		286322SND
		3.5 mm surfix screw 22 mm long and 3.5 mm surfix washer
		286324SND
		3.5 mm surfix screw 24 mm long and 3.5 mm surfix washer
		286326SND
		3.5 mm surfix screw 26 mm long and 3.5 mm surfix washer
		286328SND
		3.5 mm surfix screw 28 mm long and 3.5 mm surfix washer
		186300SND
		3.5 mm surfix locking screw


ITWFS instrumentation

References	Description
303400	2.0 mm drill bit
303401	2.5 mm drill bit
303402	2.7 mm drill bit
303403	Double-ended drill guide for 2.0 mm drill bit
303404	Double-ended drill guide for 2.5 mm drill bit
303405	Threaded drill guide for 2.0 mm drill bit
303406	Threaded drill guide for 2.7 mm drill bit
303407	Depth gauge
303408	Self-retaining torx driver
303409	2.5 mm self-retaining hex driver
303410	2.0 mm self-retaining hex driver
303411	Plate bender - (2.7 mm hole)
303412	Plate bender - (3.5 mm hole)
303450	Straight plate trial
303451	Standard bend plate trial
303452	Short bend plate trial
600731	Screw forceps



ITWFS set

References	Description
303510	Instrument case complete - EMEA
including:	
303502	Instrument case top level - US/EMEA
303504	Instrument case lid - US/EMEA



Spider™ – Mini-Spider™ / Limited Wrist Fusion System

SPIDER / MINI-SPIDER is indicated for use in patients suffering pain and/or loss of function due to:

- Osteoarthritis.
- Post-traumatic arthritis.
- Fractures.
- Revision of failed partial wrist fusions.
- Carpal Instability.
- Rheumatoid arthritis.

IMPLANTS Stainless steel

References	Description
070005	Spider™ Limited Wrist Fusion Plate Steel
070006	Mini Spider™ Limited Wrist Fusion Plate Steel
072408	2.4 mm Bone Screw, 8 mm Steel
072410	2.4 mm Bone Screw, 10 mm Steel
072412	2.4 mm Bone Screw, 12 mm Steel
072414	2.4 mm Bone Screw, 14 mm Steel
072810	2.8 mm Bone Screw, 10 mm Steel
072814	2.8 mm Bone Screw, 14 mm Steel
072818	2.8 mm Bone Screw, 18 mm Steel



IMPLANTS Titanium

References	Description	References	Description
060005	Spider™ Limited Wrist Fusion Plate Titanium	062810	2.8 mm Titanium Bone Screw, 10 mm
060006	Mini Spider™ Limited Wrist Fusion Plate Titanium	062812	2.8 mm Titanium Bone Screw, 12 mm
062806	2.8 mm Titanium Bone Screw, 6 mm	062814	2.8 mm Titanium Bone Screw, 14 mm
062808	2.8 mm Titanium Bone Screw, 8 mm	062816	2.8 mm Titanium Bone Screw, 16 mm
		062818	2.8 mm Titanium Bone Screw, 18 mm

MILLIMETERS

Spider™ – Mini Spider™ / Limited Wrist Fusion System – Instruments

References Description
Disposables

600709	1.5 mm Drill Bit
600704	2.0 mm Drill Bit
600720	Std. Spider Rasp
600721	Mini Spider Rasp

Instruments

600706	Adjustable Depth Gauge
600715	Spider Plate Holder
600716	Spider Rasp Cleaning Brush
600718	T-Handle
600719	Mini Spider Plate Holder
600722	1.5/2.0 mm Drill Guide
600724	2.5mm Screw Driver Bit QC
600726	Screw Driver Holding Sleeve
600730	4-1/2 Screw Driver Handle QC
600731	Screw Forceps
600740	Tap 4-1/2, 3.5 mm dia.

Sterilization container

075020	Sterilization Case
---------------	--------------------

PyroCarbon Lunate Implant

PyroCarbon Lunate is intended for replacement of the lunate bone in the proximal carpal row of the wrist in the presence of:

- Avascular necrosis (Kienboch's disease)
- Localized osteoarthritic changes
- Long-standing dislocations

The implant is available in 5 sizes for use in left or right applications.

Lunate Implants

References	Description
LUN-710-01-WW	PyroCarbon Lunate, Size 01
LUN-710-02-WW	PyroCarbon Lunate, Size 02
LUN-710-03-WW	PyroCarbon Lunate, Size 03
LUN-710-04-WW	PyroCarbon Lunate, Size 04
LUN-710-05-WW	PyroCarbon Lunate, Size 05



Lunate Instrument Set

References	Description
CSA-170-02	Instrument Base
CSA-710-01	Instrument Lid
SZT-715-01S	Sizing Template, Size 01
SZT-715-02S	Sizing Template, Size 02
SZT-715-03S	Sizing Template, Size 03
SZT-715-04S	Sizing Template, Size 04
SZT-715-05S	Sizing Template, Size 05
TRL-715-01T	Lunate Trial, Size 01
TRL-715-02T	Lunate Trial, Size 02
TRL-715-03T	Lunate Trial, Size 03
TRL-715-04T	Lunate Trial, Size 04
TRL-715-05T	Lunate Trial, Size 05

First Choice™ System (DRUJ)

The First Choice™ system (DRUJ) contains a Total Ulna Head replacement as well a Partial Ulna head replacement in one system.

The instrumentation set provides the same instruments for both implant options, but there are additional instruments present that are needed for the Partial Ulna head replacement.

Within one set, 2 trays are available:

- Bottom tray : general instruments (reamers, awl etc...).
- Top tray – Trails partial Ulna head replacement and the dedicated cutting guide that is needed for the partial Ulna Head replacement surgical technique.

The same instrument set is needed to be used with both replacements.

There is a range sizes of Partial Distal Ulnar Radial head replacement available. The patial ulna head replacement is a monoblock implant

- 3 Stem sizes: 4.5 mm, 4.5 mm and 5.5 mm
- All these stem size are available with the following head sizes: -14.5, 16.0- 17.5 – 19.0

The Ascension First Choice™ Partial Ulnar Head Replacement

The Ascension® First Choice® is intended for replacement of the distal radioulnar joint:

Replacement of the distal ulnar head for rheumatoid, degenerative, or post-traumatic arthritis presenting the following:

- Pain and weakness of the wrist joint not improved by conservative treatment
- Instability of the ulnar head with x-ray evidence of dorsal subluxation and erosive changes
- Failed ulnar head resection



First Choice™ DRUJ Modular Ulnar Head



DRUJ implant

Description

14.5 mm head, 4.5 mm standard stem

16.0 mm head, 4.5 mm standard stem

17.5 mm head, 4.5 mm standard stem

19.0 mm head, 4.5 mm standard stem

14.5 mm head, 5.5 mm standard stem

16.0 mm head, 5.5 mm standard stem

17.5 mm head, 5.5 mm standard stem

19.0 mm head, 5.5 mm standard stem

14.5 mm head, 6.5 mm standard stem

16.0 mm head, 6.5 mm standard stem

17.5 mm head, 6.5 mm standard stem

19.0 mm head, 6.5 mm standard stem

First Choice DRUJ™ Instrument system

References **Description**

DRUJ-610-1445 14.5 mm head, 4.5 mm standard stem

DRUJ-610-1645 16.0 mm head, 4.5 mm standard stem

DRUJ-610-1745 17.5 mm head, 4.5 mm standard stem

DRUJ-610-1945 19 mm head, 4.5 mm standard stem

DRUJ-610-1455 14.5 mm head, 5.5 mm standard stem

DRUJ-610-1655 16.0 mm head, 5.5 mm standard stem

DRUJ-610-1755 17.5 mm head, 5.5 mm standard stem


DRUJ-610-1955 19 mm head, 5.5 mm standard stem

DRUJ-610-1465 14.5 mm head, 6.5 mm standard stem

DRUJ-610-1665 16.0 mm head, 6.5 mm standard stem

DRUJ-610-1765 17.5 mm head, 6.5 mm standard stem

DRUJ-610-1965 19.0 mm head, 6.5 mm standard stem



Note: To perform a Partial Ulnar Head procedure, both the MUH & Partial instrument sets are needed.

Partial Ulnar Head Implants

References	Description
INS-610-00	Instrument Set
OSG-610-00	DRUJ Osteotomy Guide
TRL-610-H145-S45	DRUJ Trial Size 14.5-4.5
TRL-610-H160-S45	DRUJ Trial Size 16.0-4.5
TRL-610-H175-S45	DRUJ Trial Size 17.5-4.5
TRL-610-H190-S45	DRUJ Trial Size 19.0-4.5
TRL-610-H145-S55	DRUJ Trial Size 14.5-5.5
TRL-610-H160-S55	DRUJ Trial Size 16.0-5.5
TRL-610-H175-S55	DRUJ Trial Size 17.5-5.5
TRL-610-H190-S55	DRUJ Trial Size 19.0-5.5
TRL-610-H145-S65	DRUJ Trial Size 14.5-6.5
TRL-610-H160-S65	DRUJ Trial Size 16.0-6.5
TRL-610-H175-S65	DRUJ Trial Size 17.5-6.5
TRL-610-H190-S65	DRUJ Trial Size 19.0-6.5

Modular Ulnar Head Instruments

References	Description
INS-600-00	Instrument Set
AWL-100-01	Starter Awl
TRL-600-H160	MUH Head Trial Size 16.0
TRL-600-H175	MUH Head Trial Size 17.5
TRL-600-H190	MUH Head Trial Size 19.0
TRL-600-S45	MUH Stem Trial Size 4.5
TRL-600-S55	MUH Stem Trial Size 5.5
TRL-600-S65	MUH Stem Trial Size 6.5
TRL-600-MED	MUH Trial Collar Medium
TRL-600-LNG	MUH Trial Collar Long
OSG-600-00	MUH Resection Guide
BRH-600-45	MUH Reamer Size 4.5
BRH-600-55	MUH Reamer Size 5.5
BRH-600-65	MUH Reamer Size 6.5
IMP-600-00	MUH Stem Impactor
IMP-600-01	MUH Assembly Pad
OSG-600-01	MUH Osteotomy Guide
IMP-300-00	Implant Impactor
EXT-200-00	Trial Extractor

Total Modular Ulnar Head Implants

References	Description
MUH600H160WW	MUH Head Sz. 16.0
MUH600H175WW	MUH Head Sz. 17.5
MUH600H190WW	MUH Head Sz. 19.0
MUH600S45LWW	MUH Stem Sz. 4.5 L
MUH600S45MWW	MUH Stem Sz. 4.5 M
MUH600S45SWW	MUH Stem Sz. 4.5 S
MUH600S55LWW	MUH Stem Sz. 5.5 L
MUH600S55MWW	MUH Stem Sz. 5.5 M
MUH600S55SWW	MUH Stem Sz. 5.5 S
MUH600S65LWW	MUH Stem Sz. 6.5 L
MUH600S65MWW	MUH Stem Sz. 6.5 M
MUH600S65SWW	MUH Stem Sz. 6.5 S

Modular Ulnar Head Instruments

References	Description
INS-600-00	Instrument Set
AWL-100-01	Starter Awl
TRL-600-H160	MUH Head Trial Size 16.0
TRL-600-H175	MUH Head Trial Size 17.5
TRL-600-H190	MUH Head Trial Size 19.0
TRL-600-S45	MUH Stem Trial Size 4.5
TRL-600-S55	MUH Stem Trial Size 5.5
TRL-600-S65	MUH Stem Trial Size 6.5
TRL-600-MED	MUH Trial Collar Medium
TRL-600-LNG	MUH Trial Collar Long
OSG-600-00	MUH Resection Guide
BRH-600-45	MUH Reamer Size 4.5
BRH-600-55	MUH Reamer Size 5.5
BRH-600-65	MUH Reamer Size 6.5
IMP-600-00	MUH Stem Impactor
IMP-600-01	MUH Assembly Pad
OSG-600-01	Osteotomy Guide
IMP-300-00	Implant Impactor



Wifix® Plate – Surfix® Volar Plate for Distal Radius

This plate is indicated for:

Traumatology:

- Articular or distal complex fractures of the radius.
- Anterior or posterior comminuted fractures with bone defect.

Reconstructive surgery:

- Shortening osteotomy for Kienbock's disease.
- Correction of distal radius malunion particularly anterior additional bone graft.

- Lunar radio-scapho arthrodesis.

- Radio-carpal arthrodesis.

> 3 sizes.

> Symmetrical and bendable plate.

> Anatomical.

> Low profil design.

> Oblong hole with Surfix® fixation.

> Materials:

- » Plate: Stainless steel 316L
Standard ISO 5832-1 & ASTM F138&139
- » Screws and lock-screws: Titanium TA6V
Standard ISO 5832-3 & ASTM F136

Contra- indication: Complex distal radial fractures.



References Description

PDRA1	Volar plate for distal radius - Size 1 - L. 44 mm
PDRA2	Volar plate for distal radius - Size 2 - L. 70 mm
PDRA3	Volar plate for distal radius - Size 3 - L. 96 mm

WIFIX® plate – Associated Surfix® screw

Surfix® screw + lock-screw diam 3.5 mm

References Description

V35 012	L. 12 mm
V35 014	L. 14 mm
V35 016	L. 16 mm
V35 018	L. 18 mm
V35 020	L. 20 mm
V35 022	L. 22 mm
V35 024	L. 24 mm
V35 026	L. 26 mm



WIFIX® – Associated Instruments

References Description

MA3501	Plates holder
MA3503	Plates bender
MA3504	Hexagonal screwdriver 2 mm
MA3505	Length gauge
MA3506	Drill guide diam. 2.5 mm
MA3508	Drill AO diam. 2.5 mm
FPDRA1	Trial PDRA1
FPDRA2	Trial PDRA2
FPDRA3	Trial PDRA3



250
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
MILLIMETERS



Integra®
Upper Extremities
Elbow pathology
solutions

Elbow Pathologies Solutions

Modular Radial Head (MRH) and Carbon Modular Radial Head (CMRH) are intended for:

- Replacement of the radial head for degenerative or post-traumatic disabilities presenting pain, crepitus, and decreased motion at the radio-humeral and/or proximal radio-ulnar joint with joint destruction or subluxation visible on x-ray resistance to conservative treatment.
- Primary replacement after fracture of the radial head.
- Symptomatic sequelae after radial head resection.
- Revision following failed radial head arthroplasty.

RadFx system allows surgeons to have all the tools necessary to repair or replace a radial head fracture in one instrument set.



Pycarbon Radial Head Implants (CMRH)

Modular Radial Head (MRH) and Carbon Modular Radial Head (CMRH) are intended for:

- Replacement of the radial head for degenerative or post-traumatic disabilities presenting pain, crepitus, and decreased motion at the radio-humeral and/or proximal radio-ulnar joint with:
 - > joint destruction or subluxation visible on x-ray
 - > resistance to conservative treatment
- Primary replacement after fracture of the radial head.
- Symptomatic sequelae after radial head resection.
- Revision following failed radial head arthroplasty.

RadFx™ system allows surgeons to have all the tools necessary to repair or replace a radial head fracture in one instrument set.

It offers patients a radial head replacement.

The CMRH is an anatomically designed, semi-constrained, single-use, modular (hemi) radial head replacement. It has a proximal articular Pyrocarbon head component and a distal intramedullary Titanium stem component.

Design Specific Features:

- 3 different Pyrocarbon head sizes (20-22-24).
- 4 different stem lengths (10, 20, 30, 40) and these 4 sizes are available in both Standard or long collar size.
- 24 head/stem combinations possible.
- Anatomically curved, cement less, long stem option.
- Same Instrument set is used for both the CMRH as the MRH replacement.
- Colour coded broaches and trials.

CMRH implants

References	Description
CMRH-310-H20-WW	Carbon Radial Head size 20
CMRH-310-H22-WW	Carbon Radial Head size 22
CMRH-310-H24-WW	Carbon Radial Head size 24
CMRH-310-So1S-WW	CMRH Stem Standard Size 01
CMRH-310-So2S-WW	CMRH Stem Standard Size 02
CMRH-310-So3S-WW	CMRH Stem Standard Size 03
CMRH-310-So4S-WW	CMRH Stem Standard Size 04
CMRH-310-So1L-WW	CMRH Stem Long Size 01
CMRH-310-So2L-WW	CMRH Stem Long Size 02
CMRH-310-So3L-WW	CMRH Stem Long Size 03
CMRH-310-So4L-WW	CMRH Stem Long Size 04



Metal Radial Head

The Metal Radial Head (MRH) is an anatomically designed, semi-constrained, single-use, modular (hemi) radial head replacement. It has a proximal articular CoCr head component and a distal intramedullary titanium stem component.

- Sloping lateral surface is radial-ulnar notch and accommodates wrapping of annular ligament.
- Same instrument system is used for both the Pyrocarbon as the Metal proximal Radial Head replacement.

MRH Implants

References	Description
MRH-350-20L	Radial Head Size 20 Long
MRH-350-20S	Radial Head Size 20 Standard
MRH-350-22L	Radial Head Size 22 Long
MRH-350-22S	Radial Head Size 22 Standard
MRH-350-24L	Radial Head Size 24 Long
MRH-350-24S	Radial Head Size 24 Standard
MRH-350-01	Stem Size 01
MRH-350-02	Stem Size 02
MRH-350-03	Stem Size 03
MRH-350-04	Stem Size 04



Optional Instrument Set Components

References	Description
MRH-RMR-01	MRH Reamer Size 01
MRH-RMR-02	MRH Reamer Size 02
MRH-RMR-03	MRH Reamer Size 03
MRH-PLN-00	MRH Planar

Instrument Set, Metal Radial Head

References	Description
CSA-350-02	Instrument Base
CSA-000-01	Instrument Lid
AWL-100-01	Awl, Starter
IMP-300-00	Implant Impactor
IMP-350-00	Impactor, Stem, MRH
IMP-350-01	Back Table Assembly Pad, MRH
BRH-300-20	Radial Head Broach Size 20
BRH-300-22	Radial Head Broach Size 22
BRH-300-24	Radial Head Broach Size 24
BRH-350-04	Broach, MRH, Size 04
EXT-350-00	Stem Holder, MRH
OSG-350-01	Osteotomy Cut Guide, MRH
TRL-351-20L	MRH Trial, Ti, Size 20L
TRL-351-20S	MRH Trial, Ti, Size 20S
TRL-351-22L	MRH Trial, Ti, Size 22L
TRL-351-22S	MRH Trial, Ti, Size 22S
TRL-351-24L	MRH Trial, Ti, Size 24L
TRL-351-24S	MRH Trial, Ti, Size 24S
INS-350-00	Complete Instrument Set

RADFx™ Radial Head Fracture system

One set containing 2 trays :

- Bottom tray- CHRH or MRH set.
- Top tray- Compression screw set and proximal radial head fracture plates.
 - > Compression Screws.
 - » 1.5 mm mini compression
 - » 2.0 high compression
 - > Large and Small plates.
- Low profile titanium 1.2mm locking plates can accept locking and non-locking screws.



References	Description		
28.25.010	Plate locking screw, 10 mm	519 010 150	Hi comp Screw, cannulated, 10 mm
28.25.012	Plate locking screw, 12 mm	519 012 150	Hi comp Screw, cannulated, 12 mm
28.25.014	Plate locking screw, 14 mm	519 014 150	Hi comp Screw, cannulated, 14 mm
28.25.016	Plate locking screw, 16 mm	519 016 150	Hi comp Screw, cannulated, 16 mm
28.25.018	Plate locking screw, 18 mm	519 018 150	Hi comp Screw, cannulated, 18 mm
28.25.020	Plate locking screw, 20 mm	519 020 150	Hi comp Screw, cannulated, 20 mm
28.25.022	Plate locking screw, 22 mm	519 022 150	Hi comp Screw, cannulated, 22 mm
28.25.024	Plate locking screw, 24 mm	519 024 150	Hi comp Screw, cannulated, 24 mm
28.25.026	Plate locking screw, 26 mm	519 026 150	Hi comp Screw, cannulated, 26 mm
28.25.110	Plate lag screw, 10 mm	520 028 150	Hi comp Screw, cannulated, 28 mm
28.25.112	Plate lag screw, 12 mm	521 030 150	Hi comp Screw, cannulated, 30 mm
28.25.114	Plate lag screw, 14 mm	515 010 070	Mini comp Screw, cannulated, 10 mm
28.25.116	Plate lag screw, 16 mm	515 012 070	Mini comp Screw, cannulated, 12 mm
28.25.118	Plate lag screw, 18 mm	516 014 070	Mini comp Screw, cannulated, 14 mm
28.25.120	Plate lag screw, 20 mm	515 016 070	Mini comp Screw, cannulated, 16 mm
28.25.122	Plate lag screw, 22 mm	515 018 070	Mini comp Screw, cannulated, 18 mm
28.25.124	Plate lag screw, 24 mm	515 020 070	Mini comp Screw, cannulated, 20 mm
28.25.126	Plate lag screw, 26 mm	515 022 070	Mini comp Screw, cannulated, 22 mm
501 009 240	RH Plate, Short	515 024 070	Mini comp Screw, cannulated, 24 mm
501 009 241	RH Plate, Long	515 026 070	Mini comp Screw, cannulated, 26 mm
		516 028 070	Mini comp Screw, cannulated, 28 mm
		517 030 070	Mini comp Screw, cannulated, 30 mm

Disposables for RadFX™

References	Description
503 006320	Ascension Micro Drill Cannula Depth Gauge
503 006343	Ascension Tissue protector
502 015206	Drill bit for plate screws
605.090.105	K wire (for cannulated screws)
605 120 100	Kwire (To pin bone)

Instrument Set, RadFX™

References	Description
CSA-850-00	Lid
CSA-850-01	Base
CSA-850-02	Top insert
CSA-850-03	Tag
CSA-860-01	Compression Screw Lid
CSA-860-02	Base Compr. Screw set
CSA-860-03	Screw tray w/lid
503 004197	Tweezers
503 004267	TX 6 driver, cannulated
503 004270	TX 8 driver, cannulated
503 004331	Cannula mallet plug (tap)
INS-860-00	Compression Screw Set
CSA-870-01	Plate Screw lid
CSA-870-02	Base Plate Set
CSA-870-03	Plate and screw tray w/lid
PBI-800-00	Plate Bending iron
503 004157	Drill guide handle for plate screws
503 004170	Screw on drill guide for plate screws
503 004197	Pickups
503 004262	Depth gage for plate screws
503 004268	TX 8 driver, non-cannulated



Katalyst™ Bipolar Radial Head system

KATALYST™ Bipolar Radial Head System is indicated in:

- Comminuted radial fracture with or without associated elbow instability.
- Comminuted radial fracture with associated rupture of the interosseous membrane; the Essex-Lopresti lesion.
- Post-traumatic arthritis involving the radiocapitellar or proximal radioulnar joint.
- Primary osteoarthritis involving the radiocapitellar joint or proximal radioulnar joint.
- Rheumatoid arthritis involving the radiocapitellar joint or proximal radioulnar joint.
- Revision of failed radial head prosthesis.

Heads

References	Description
221418	18 mm Head & Poly Assembly
221421	21 mm Head & Poly Assembly
221424	24 mm Head & Poly Assembly



Stems

References	Description
221665	6.5 mm Stem Assembly, 20 mm length
221675	7.5 mm Stem Assembly, 20 mm Length
221800	Stem Replacement Set Screw



Katalyst™ Bipolar Radial Head system – Instruments

Instruments

References	Description
224165	Stem Trial 6.5 mm
224175	Stem Trial 7.5 mm
224318	Head Trial 18 mm
224321	Head Trial 21 mm
224324	Head Trial 24 mm
225365	6.5 mm Broach
225375	7.5 mm Broach
225400	Spacer
225405	First Spacer
225600	Cutting Template
225900	Head Sizing Template
226000	Starter Awl
600717	2.5 mm Hex Driver
225205	Pliers

Sterilization container

References	Description
221001	Sterilization tray



EndoRelease™ Endoscopic Cubital Tunnel Release system

Indications for use:

- The EndoRelease™ System is intended for use in endoscopic surgical treatment of cubital tunnel syndrome by releasing the fascia around the ulnar nerve.

Disposables

References	Description
096000	Blade
096005	Set of 5 blades



Endorelease™ Endoscopic Cubital Tunnel Release system – Instruments

Instruments

References	Description
095070	Small Spatula cbtl tunnel
095080	Large Spatula cbtl tunnel
095090	Small Cannula
095160	Small obturator
095250	Large obturator



250
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
MILLIMETERS



Integra®
Upper Extremities
Shoulder repair

Titan™ Humeral Resurfacing

For complete product information, please see the Instructions for Use accompanying each product.



TITAN HRA Implants

References	Description
HRA-900-40/16-WW	Titan HRA Size 40/16
HRA-900-44/15-WW	Titan HRA Size 44/15
HRA-900-44/18-WW	Titan HRA Size 44/18
HRA-900-48/17-WW	Titan HRA Size 48/17
HRA-900-48/20-WW	Titan HRA Size 48/20
HRA-900-52/18-WW	Titan HRA Size 52/18
HRA-900-52/21-WW	Titan HRA Size 52/21
HRA-900-56/21-WW	Titan HRA Size 56/21

Disposables, TITAN HRA Resurfacing

References	Description
605 303230	Partial Threaded Kirschner
605 300230	Non-Threaded Kirschner

Instrument Set, TITAN HRA Resurfacing

References	Description
CSA-900-02	HRA Case
CSA-900-01	HRA Lid
CSA-900-03	HRA Top Tray
CSA-900-04	HRA Bottom Tray
ADP-900-01	HRA Adapter Size1
ADP-900-02	HRA Adapter Size2
ADP-900-03	HRA Adapter Size 3
BRH-900-00	HRA Starter Broach
BRH-900-01	HRA Broach Size 1
BRH-900-02	HRA Broach Size 2
BRH-900-03	HRA Broach Size 3
CTD-900-01	HRA Center Drill Size 1
CTD-900-02	HRA Center Drill Size 2
CTD-900-03	HRA Center Drill Size 3
IMP-900-01	HRA Impactor
RET-900-01	HRA Retractor
SHP-900-40/16	HRA Shaper 40/16
SHP-900-44/15	HRA Shaper 44/15
SHP-900-44/18	HRA Shaper 44/18
SHP-900-48/17	HRA Shaper 48/17
SHP-900-48/20	HRA Shaper 48/20
SHP-900-52/18	HRA Shaper 52/18
SHP-900-52/21	HRA Shaper 52/21
SHP-900-56/21	HRA Shaper 56/21
SZR-900-40-16	Sizer/Centralizer 40-16
SZR-900-44-15	Sizer/Centralizer 44-15
SZR-900-44-18	Sizer/Centralizer 44-18
SZR-900-48-17	Sizer/Centralizer 48-17
SZR-900-48-20	Sizer/Centralizer 48-20
SZR-900-52-18	Sizer/Centralizer 52-18
SZR-900-52-21	Sizer/Centralizer 52-21
SZR-900-56-21	Sizer/Centralizer 56-21
TRL-900-40/16	HRA Trial 40/16
TRL-900-44/15	HRA Trial 44/15
TRL-900-44/18	HRA Trial 44/18
TRL-900-48/17	HRA Trial 48/17
TRL-900-48/20	HRA Trial 48/20
TRL-900-52/18	HRA Trial 52/18
TRL-900-52/21	HRA Trial 52/21
TRL-900-56/21	HRA Trial 56/21
INS-900-00	Total
INS-900-00	Complete Instrument Set

250
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
20
10
MM

Titan™ Modular Total Shoulder System

Total Shoulder Arthroplasty or Hemiarthroplasty is indicated for:

- Severely painful and/or disabled joint resulting from osteoarthritis, traumatic arthritis or rheumatoid arthritis.
- Fracture-dislocations of the proximal humerus where the articular surface is severely comminuted, separated from its blood supply or where the surgeon's experience indicates that alternative methods of treatments are unsatisfactory.
- Other difficult clinical problems where shoulder arthrodesis or resection arthroplasty are not acceptable (e.g. - revision of a failed primary component).

Shoulder Hemiarthroplasty is also indicated for:

- Ununited humeral head fractures.
- Avascular necrosis of the humeral head.
- Rotator cuff arthroplasty.
- Deformity and/or limited motion.

The humeral component is intended for cemented or uncemented use. The glenoid component is intended for cemented use only.



Glenoid tray: Base

References	Description
238500	Straight Drill Shaft
238000	Angled Drill Shaft
IMP-0920-064-001	Glenoid impactor
PUN-0920-062-001	Glenoid Keel Punch, XS/S
PUN-0920-062-002	Glenoid Keel Punch, M/L
PUN-0920-072-001	Glenoid, Peg Punch, XS/S
PUN-0920-072-002	Glenoid, Peg Punch, M/L

Glenoid tray: Insert

References	Description
SZR-0920-052-000	Glenoid Sizer, Extra Small
SZR-0920-052-001	Glenoid Sizer, Small
SZR-0920-052-002	Glenoid Sizer, Medium
SZR-0920-052-003	Glenoid Sizer, Large
RMR-0920-057-000	Glenoid Reamer, Extra Small
RMR-0920-057-001	Glenoid Reamer, Small
RMR-0920-057-002	Glenoid Reamer, Medium
RMR-0920-057-003	Glenoid Reamer, Large
TRL-0920-030-00P	Glenoid, Peg Trial, Extra Small
TRL-0920-030-01P	Glenoid, Peg Trial, Small
TRL-0920-030-02P	Glenoid, Peg Trial, Medium
TRL-0920-030-03P	Glenoid, Peg Trial, Large
TRL-0920-030-00K	Glenoid, Keel Trial, Extra Small
TRL-0920-030-01K	Glenoid, Keel Trial, Small
TRL-0920-030-02K	Glenoid, Keel Trial, Medium
TRL-0920-030-03K	Glenoid, Keel Trial, Large
GDW-0920-061-501	2.0 mm x 150 mm Guide Pin
DRG-0920-049-001	Center Glenoid Drill Guide, XS/S
DRG-0920-049-002	Center Glenoid Drill Guide, M/L

HDR-0920-063-001 Glenoid Holder

HDL-0920-075-001	Anti-rotation Peg Holder
PEG-0920-074-001	Anti-rotation Peg
DRL-0920-056-001	Solid Center Starter Drill
DRL-0920-056-002	Solid Peg Drill
BSH-0920-048-002	Center Starter Drill Bushing
DRL-0920-047-001	Cannulated Center Starter Drill
DRL-0920-047-002	Cannulated Peg Drill
BSH-0920-048-001	Pin Bushing

Humeral tray: Base

References	Description
HDL-0920-043-001	Stem Trial Handle
TRL-0920-020-08STD	Body Trial, 8 Standard
TRL-0920-020-10SML	Body Trial, 10 Small
TRL-0920-020-10STD	Body Trial, 10 Standard
TRL-0920-020-10LRG	Body Trial, 10 Large
TRL-0920-020-12STD	Body Trial, 12 Standard
TRL-0920-020-14SML	Body Trial, 14 Small
TRL-0920-020-14STD	Body Trial, 14 Standard
TRL-0920-020-14LRG	Body Trial, 14 Large
TRL-0950-020-08SML	Fracture Body Trial, 8 Small
TRL-0950-020-08STD	Fracture Body Trial, 8 Standard
TRL-0950-020-08LRG	Fracture Body Trial, 8 Large
BSW-0920-021-01	Body Screws
TRL-0920-025-06	Humeral Stem Trial, 6 mm
TRL-0920-025-07	Humeral Stem Trial, 7 mm
TRL-0920-025-08	Humeral Stem Trial, 8 mm
TRL-0920-025-09	Humeral Stem Trial, 9 mm
TRL-0920-025-10	Humeral Stem Trial, 10 mm
TRL-0920-025-11	Humeral Stem Trial, 11 mm

TRL-0920-025-12	Humeral Stem Trial, 12 mm
TRL-0920-025-13	Humeral Stem Trial, 13 mm
TRL-0920-025-14	Humeral Stem Trial, 14 mm
TRL-0920-025-15	Humeral Stem Trial, 15 mm
TRL-0920-025-16	Humeral Stem Trial, 16 mm
INS-0920-046-001	Humeral Trial Inserter/Extractor
INS-0950-046-001	Fracture Trial Inserter/Extractor
RMR-0920-050-001	Calcar Planer, Small
RMR-0920-050-002	Calcar Planer, Large
ADT-0920-065-001	Taper Adapter
SCR-0920-066-001	Taper Adapter Shaft
IMP-0920-079-501	Head Impactor
SCR-0920-060-002	3/32 Hexdriver
G207153	Torque Limiter
SET188-A001	Head Extractor
STD-0920-071-001	Implant Stand, Base Assembly
SEP-0920-068-001	Body Separator
INS-0920-045-001	Humeral Implant Inserter/Extractor
INS-0950-045-001	Fracture Implant Inserter/Extractor
INS-0920-071-SML	Stand Insert, Small
INS-0920-071-STD	Stand Insert, Standard
INS-0920-071-LRG	Stand Insert, Large
SIS-0920-054-001	Stem Impaction Stand
1MP-0920-055-001	Stem Impactor
G107991_B	Slotted Mallet

Humeral tray: Insert

References	Description
SET189-A001	Head Cutting Guide
AWL-0920-042-001	Starter Awl
G108404_B	T-Handle w/Large AO Connect
SET189-D007	Version Rod
3020	Pin Puller
PIN-0920-051-001	Fixation Pin
TMP-0920-040-001R	Head Cutting Template, Right
TMP-0920-040-001L	Head Cutting Template, Left
ROD-0920-040-002	Head Cutting Template, Handle
GAU-0920-058-001	Head Cutting Depth, Gauge
HSG-0920-041-001	Head Sizing Gauge, 38-46
HSG-0920-041-002	Head Sizing Gauge, 48-52
CVR-0920-076S	Trial Osteotomy Cover, Small
CVR-0920-076L	Trial Osteotomy Cover, Large
CVR-0920-077S	Spiked Osteotomy Cover, Small
CVR-0920-077L	Spiked Osteotomy Cover, Large
G107992_B	Driver Handle w/Small AO Connect
SCR-0920-060-001	1/8 Hexdriver
HSP-0920-070-001E	Head Sizing Plate, 38 mm
HSP-0920-070-002E	Head Sizing Plate, 40 mm

HSP-0920-070-003	Head Sizing Plate, 42 mm	250
HSP-0920-070-004	Head Sizing Plate, 44 mm	240
HSP-0920-070-005	Head Sizing Plate, 46 mm	230
HSP-0920-070-006	Head Sizing Plate, 48 mm	220
HSP-0920-070-007	Head Sizing Plate, 50 mm	210
HSP-0920-070-008	Head Sizing Plate, 52 mm	210
TRL-0920-010-3814E	Head Trial, Eccentric, 38x14 mm	200
TRL-0920-010-4025E	Head Trial, Eccentric, 40x15 mm	200
TRL-0920-010-4216E	Head Trial, Eccentric, 42x16 mm	190
TRL-0920-010-4416E	Head Trial, Eccentric, 44x16 mm	190
TRL-0920-010-4419E	Head Trial, Eccentric, 44x19 mm	180
TRL-0920-010-4614E	Head Trial, Eccentric, 46x14 mm	180
TRL-0920-010-4617E	Head Trial, Eccentric, 46x17 mm	180
TRL-0920-010-4620E	Head Trial, Eccentric, 46x20 mm	170
TRL-0920-010-4815E	Head Trial, Eccentric, 48x15 mm	170
TRL-0920-010-4818E	Head Trial, Eccentric, 48x18 mm	160
TRL-0920-010-4821E	Head Trial, Eccentric, 48x21 mm	160
TRL-0920-010-5019E	Head Trial, Eccentric, 50x19 mm	150
TRL-0920-010-5022E	Head Trial, Eccentric, 50x22 mm	150
TRL-0920-010-5220E	Head Trial, Eccentric, 52x20 mm	140
TRL-0920-010-4216C	Head Trial, Concentric, 42x16 mm	140
TRL-0920-010-4416C	Head Trial, Concentric, 44x16 mm	130
TRL-0920-010-4419C	Head Trial, Concentric, 44x19 mm	130
TRL-0920-010-4614C	Head Trial, Concentric, 46x14 mm	120
TRL-0920-010-4617C	Head Trial, Concentric, 46x17 mm	120
TRL-0920-010-4620C	Head Trial, Concentric, 46x20 mm	110
TRL-0920-010-4815C	Head Trial, Concentric, 48x15 mm	110
TRL-0920-010-4818C	Head Trial, Concentric, 48x18 mm	100
TRL-0920-010-4821C	Head Trial, Concentric, 48x21 mm	100
TRL-0920-010-5019C	Head Trial, Concentric, 50x19 mm	90
TRL-0920-010-5022C	Head Trial, Concentric, 50x22 mm	90
TRL-0920-010-5220C	Head Trial, Concentric, 52x20 mm	80

Retractor set

References	Description
RET-920-11S	Darrach Retractor, Small
RET-920-11L	Darrach Retractor, Large
RET-920-20	Deltoid Retractor, Large
RET-920-31	Hohmann Retractor
RET-920-41S	Spiked Glenoid Retractor, Small
RET-920-41L	Spiked Glenoid Retractor, Large
RET-920-50S	Fukuda Retractor, Small
RET-920-50L	Fukuda Retractor, Large
RET-920-60	Kolbel Retractor Frame
RET-920-61S	Kolbel Retractor Blade, Small
RET-920-61L	Kolbel Retractor Blade, Large
RET-920-61XL	Kolbel Retractor Blade, Extra Large

MILLIMETERS

250
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10

CoCr Humeral Head Implants

References	Description
MHH-0920-010-4216C	Humeral Head, Cen, Size 42x16 mm
MHH-0920-010-4416C	Humeral Head, Cen, Size 44x16 mm
MHH-0920-010-4419C	Humeral Head, Cen, Size 44x19 mm
MHH-0920-010-4614C	Humeral Head, Cen, Size 46x14 mm
MHH-0920-010-4617C	Humeral Head, Cen, Size 46x17 mm
MHH-0920-010-4620C	Humeral Head, Cen, Size 46x20 mm
MHH-0920-010-4815C	Humeral Head, Cen, Size 48x15 mm
MHH-0920-010-4818C	Humeral Head, Cen, Size 48x18 mm
MHH-0920-010-4821C	Humeral Head, Cen, Size 48x21 mm
MHH-0920-010-5019C	Humeral Head, Cen, Size 50x19 mm
MHH-0920-010-5022C	Humeral Head, Cen, Size 50x22 mm
MHH-0920-010-5220C	Humeral Head, Cen, Size 52x20 mm
MHH-0920-010-3814E	Humeral Head, Ecc, Size 38x14 mm
MHH-0920-010-4015E	Humeral Head, Ecc, Size 40x15 mm
MHH-0920-010-4216E	Humeral Head, Ecc, Size 42x16 mm
MHH-0920-010-4416E	Humeral Head, Ecc, Size 44x16 mm
MHH-0920-010-4419E	Humeral Head, Ecc, Size 44x19 mm
MHH-0920-010-4614E	Humeral Head, Ecc, Size 46x14 mm
MHH-0920-010-4617E	Humeral Head, Ecc, Size 46x17 mm
MHH-0920-010-4620E	Humeral Head, Ecc, Size 46x20 mm
MHH-0920-010-4815E	Humeral Head, Ecc, Size 48x15 mm
MHH-0920-010-4818E	Humeral Head, Ecc, Size 48x18 mm
MHH-0920-010-4821E	Humeral Head, Ecc, Size 48x21 mm
MHH-0920-010-5019E	Humeral Head, Ecc, Size 50x19 mm
MHH-0920-010-5022E	Humeral Head, Ecc, Size 50x22 mm
MHH-0920-010-5220E	Humeral Head, Ecc, Size 52x20 mm

Primary Body Implants

References	Description
BOD-0920-020-08STD	Humeral Body, Size 08 Standard
BOD-0920-020-10SML	Humeral Body, Size 10 Small
BOD-0920-020-10STD	Humeral Body, Size 10 Standard
BOD-0920-020-10LRG	Humeral Body, Size 10 Large
BOD-0920-020-12STD	Humeral Body, Size 12 Standard
BOD-0920-020-14SML	Humeral Body, Size 14 Small
BOD-0920-020-14STD	Humeral Body, Size 14 Standard
BOD-0920-020-14LRG	Humeral Body, Size 14 Large
BOD-0950-020-08SML	Fracture Body, Size 08 Small
BOD-0950-020-08STD	Fracture Body, Size 08 Standard
BOD-0950-020-08LRG	Fracture Body, Size 08 Large
BSW-0920-021-01	Humeral Body Screw

Press Fit Stem Implants

References	Description
STEM-0920-025-06	Humeral Stem, 6 mm
STEM-0920-025-07	Humeral Stem, 7 mm
STEM-0920-025-08	Humeral Stem, 8 mm
STEM-0920-025-09	Humeral Stem, 9 mm
STEM-0920-025-10	Humeral Stem, 10 mm
STEM-0920-025-11	Humeral Stem, 11 mm
STEM-0920-025-12	Humeral Stem, 12 mm
STEM-0920-025-13	Humeral Stem, 13 mm
STEM-0920-025-14	Humeral Stem, 14 mm
STEM-0920-025-15	Humeral Stem, 15 mm
STEM-0920-025-16	Humeral Stem, 16 mm

Cemented Stem Implants

References	Description
STEM-0950-025-06	Cemented Stem, 6 mm
STEM-0950-025-08	Cemented Stem, 8 mm
STEM-0950-025-10	Cemented Stem, 10 mm
STEM-0950-025-12	Cemented Stem, 12 mm
STEM-0950-025-14	Cemented Stem, 14 mm

Keeled Glenoid Implants

References	Description
GLN-0920-030-00K	Glenoid, Keel, Extra Small
GLN-0920-030-01K	Glenoid, Keel, Small
GLN-0920-030-02K	Glenoid, Keel, Medium
GLN-0920-030-03K	Glenoid, Keel, Large

Pegged Glenoid Implants

References	Description
GLN-0920-030-00P	Glenoid, Peg, Extra Small
GLN-0920-030-01P	Glenoid, Peg, Small
GLN-0920-030-02P	Glenoid, Peg, Medium
GLN-0920-030-03P	Glenoid, Peg, Large

PyroTitan™ Humeral Resurfacing Arthroplasty

The PyroTITAN™ HRA System is intended for resurfacing of the humeral head due to non-inflammatory or inflammatory arthritis (i.e. rheumatoid arthritis, osteoarthritis and some cases of osteonecrosis), mild or moderate humeral head deformity and / or limited motion, post-traumatic arthritis, focal and large (Hill-Sachs) osteochondral defects, and patients with an intact or reparable rotator cuff.



PyroTITAN HRA Implants

References	Description
CHRA-910-38/14	Pyro TITAN Implant, Size 38/14
CHRA-910-41/15	Pyro TITAN Implant, Size 41/15
CHRA-910-41/18	Pyro TITAN Implant, Size 41/18
CHRA-910-44/16	Pyro TITAN Implant, Size 44/16
CHRA-910-44/19	Pyro TITAN Implant, Size 44/19
CHRA-910-47/17	Pyro TITAN Implant, Size 47/17
CHRA-910-47/20	Pyro TITAN Implant, Size 47/20
CHRA-910-50/18	Pyro TITAN Implant, Size 50/18
CHRA-910-50/21	Pyro TITAN Implant, Size 50/21
CHRA-910-53/19	Pyro TITAN Implant, Size 53/19
CHRA-910-53/22	Pyro TITAN Implant, Size 53/22
CHRA-910-56/21	Pyro TITAN Implant, Size 56/21
Instrument Set, PyroTITAN HRA	
References	Description
CSA-00-007	Lid
CSA-910-02	Tray Inset
CSA-910-03	Tray Base
OSG-910-01	Sizer, 38/14, 41/15, 41/18, 44/16
OSG-910-02	Sizer, 44/19, 47/17, 47/20, 50/18
OSG-910-03	Sizer, 50/21, 53/19, 53/22, 56/21
SZR-910-38	Centralizer, Size 38
SZR-910-41	Centralizer, Size 41
SZR-910-44	Centralizer, Size 44
SZR-910-47	Centralizer, Size 47
SZR-910-50	Centralizer, Size 50
SZR-910-53	Centralizer, Size 53
SZR-910-56	Centralizer, Size 56
SHP-910-38-14	Shaper, Size 38/14
SHP-910-41-15	Shaper, Size 41/15
SHP-910-41-18	Shaper, Size 41/18
SHP-910-44-16	Shaper, Size 44/16
SHP-910-44-19	Shaper, Size 44/19
SHP-910-47-17	Shaper, Size 47/17
SHP-910-47-20	Shaper, Size 47/20
SHP-910-50-18	Shaper, Size 50/18
SHP-910-50-21	Shaper, Size 50/21
SHP-910-53-19	Shaper, Size 53/19
SHP-910-53-22	Shaper, Size 53/22
SHP-910-56-21	Shaper, Size 56/21
BRH-910-38	Broach, Size 38
BRH-910-41	Broach, Size 41

BRH-910-44 Broach, Size 44

BRH-910-47	Broach, Size 47
BRH-910-50	Broach, Size 50
BRH-910-53	Broach, Size 53
BRH-910-56	Broach, Size 56
TRL-910-38-14	Trial, Size 38/14
TRL-910-41-15	Trial, Size 41/15
TRL-910-41-18	Trial, Size 41/18
TRL-910-44-16	Trial, Size 44/16
TRL-910-44-19	Trial, Size 44/19
TRL-910-47-17	Trial, Size 47/17
TRL-910-47-20	Trial, Size 47/20
TRL-910-50-18	Trial, Size 50/18
TRL-910-50-21	Trial, Size 50/21
TRL-910-53-19	Trial, Size 53/19
TRL-910-53-22	Trial, Size 53/22
TRL-910-56-21	Trial, Size 56/21
IMP-910-00	Impactor
MAL-910-00	Mallet
EXT-910-00	Extractor
INS-910-01	Instrument Set, PyroTITAN HRA

Instrument Set, Shoulder Retractors (Coated)

References	Description
CSA-925-01	Retractor Base
CSA-000-07	Lid
RET-920-10S	Coated Darrach Retractor, Small
RET-920-10L	Coated Darrach Retractor, Large
RET-920-20	Coated Deltoid Retractor, Large
RET-920-30	Coated Hohmann Retractor
RET-920-40S	Coated Glenoid Retractor, Small
RET-920-40L	Coated Glenoid Retractor, Large
RET-920-50S	Coated Fukuda Retractor, Small
RET-920-50L	Coated Fukuda Retractor, Large
RET-920-60	Coated Kolbel Retractor, Frame
RET-920-60S	Coated Kolbel Retractor, Small
RET-920-60L	Coated Kolbel Retractor, Large
RET-920-60XL	Coated Kolbel Retractor, Extra Large
INS-920-02	Instrument Set, Coated Shoulder Retractors

PSH plate – Surfix® Proximal humeral plate

These plates are indicated for the fixation of proximal humeral fractures.

- 3 sizes.
- Symmetrical and bendable plates.
- Low profile design.
- Stabilisation of the lesser and greater tubercle.
- Materials:
 - > Plate: Stainless steel 316L
Standard ISO 5832-1 & ASTM F138&139
 - > Screws and lock-screws: Titanium TA6V
Standard ISO 5832-3 & ASTM F136

Indications

- The indications for surgery of the whole range of SURFIX® implants are described in the attached document Indications of these directions for use and in the leaflet.

Contraindications

- Acute infections; Absence of musculo-cutaneous covering; Bone deterioration preventing a good fixation of the screws in the bone.




References	Description
PSH	Humeral proximal plate Size 1
PSH2	Humeral proximal plate Size 2
PSH3	Humeral proximal plate Size 3

PSH Plate – Associated Surfix® screws

**Surfix® Cancellous bone screw
+ lock-screw diam 6.5 mm**

References	Description
SP 020	Length 20 mm
SP 025	Length 25 mm
SP 030	Length 30 mm
SP 035	Length 35 mm
SP 040	Length 40 mm
SP 045	Length 45 mm
SP 050	Length 50 mm
SP 055	Length 55 mm
SP 060	Length 60 mm
SP 065	Length 65 mm
SP 070	Length 70 mm
SP 075	Length 75 mm
SP 080	Length 80 mm
SP 085	Length 85 mm
SP 090	Length 90 mm
SP 095	Length 95 mm
SP 100	Length 100 mm



250
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
MILLIMETERS



Integra®
Upper Extremities
References

Numerical

28.25.010.....	45	096000.....	48	210314.....	19
28.25.012.....	45	096005.....	48	210316.....	19
28.25.014.....	45	111010.....	23	210318.....	19
28.25.016.....	45	111012.....	23	210320.....	19
28.25.018.....	45	111014.....	23	210322.....	19
28.25.020.....	45	111016.....	23	210324.....	19
28.25.022.....	45	111018.....	23	210326.....	19
28.25.024.....	45	111020.....	23	210414.....	19
28.25.026.....	45	111022.....	23	210416.....	19
28.25.110.....	45	111024.....	23	210418.....	19
28.25.112.....	45	111026.....	23	210420.....	19
28.25.114.....	45	111028.....	23	210422.....	19
28.25.116.....	45	111312.....	23	210424.....	19
28.25.118.....	45	111314.....	23	210426.....	19
28.25.120.....	45	111316.....	23	210428.....	19
28.25.122.....	45	111318.....	23	210430.....	19
28.25.124.....	45	111320.....	23	210432.....	19
28.25.126.....	45	111322.....	23	210434.....	19
501 009 240.....	45	111324.....	23	211100.....	19
501 009 241.....	45	111326.....	23	211200.....	19
502 015206.....	45	111328.....	23	211300.....	19
503 004157.....	46	111330.....	23	211409.....	19
503 004170.....	46	111332.....	23	211411.....	19
503 004197.....	46	111334.....	23	211501.....	19
503 004262.....	46	112011.....	25	211511.....	19
503 004267.....	46	112012.....	25	211600.....	19
503 004268.....	46	112013.....	25	211601.....	19
503 004270.....	46	112014.....	25	211610.....	19
503 004331.....	46	113113.....	24	211611.....	19
503 006320.....	45	113114.....	24	211622.....	19
503 006343.....	45	113115.....	24	211625.....	19, 29
515 010 070.....	45	113116.....	24	211628.....	19
515 012 070.....	45	113117.....	24	211635.....	19
515 016 070.....	45	113213.....	24	211700.....	19
515 018 070.....	45	113214.....	24	211720.....	19
515 020 070.....	45	113215.....	24	211725.....	19
515 022 070.....	45	113216.....	24	211801.....	19
515 024 070.....	45	113217.....	24	211811.....	19
515 026 070.....	45	113313.....	24	211900.....	19
516 014 070.....	45	113314.....	24	211910.....	19
516 028 070.....	45	113315.....	24	213113.....	24
517 030 070.....	45	113316.....	24	213114.....	24
519 010 150.....	45	113317.....	24	213115.....	24
519 012 150.....	45	113512.....	24	213116.....	24
519 014 150.....	45	113820.....	24	213117.....	24
519 016 150.....	45	1150085.....	21	213213.....	24
519 016 150.....	45	1150705.....	21	213214.....	24
519 016 150.....	45	115100S.....	21	213215.....	24
519 018 150.....	45	119023S.....	21, 22	213216.....	24
519 020 150.....	45	119025S.....	21, 22	213217.....	24
519 022 150.....	45	119027S.....	21, 22	213313.....	24
519 024 150.....	45	119223S.....	22	213314.....	24
519 026 150.....	45	119225S.....	22	213315.....	24
520 028 150.....	45	119227S.....	22	213316.....	24
521 030 150.....	45	131014S.....	23	213317.....	24
605.090.105.....	45	131016S.....	23	213512.....	24
605 120 100.....	45	131018S.....	23	213820.....	24
605 300230.....	53	131020S.....	23	215001.....	19
605 303230.....	53	131022S.....	23	221001.....	47
060005.....	32	131024S.....	23	221418.....	47
060006.....	32	131026S.....	23	221421.....	47
062806.....	32	131028S.....	23	221424.....	47
062808.....	32	131030S.....	23	221665.....	47
062810.....	32	131032S.....	23	221675.....	47
062812.....	32	131034S.....	23	221800.....	47
062814.....	32	159023S.....	22	224165.....	47
062816.....	32	159025S.....	22	224175.....	47
062818.....	32	159027S.....	22	224318.....	47
070005.....	32	159223S.....	22	224321.....	47
070006.....	32	159225S.....	22	224324.....	47
072408.....	32	159227S.....	22	225205.....	47
072410.....	32	186200SND.....	30	225365.....	47
072412.....	32	186300SND.....	31	225375.....	47
072414.....	32	200010S.....	23	225400.....	47
072810.....	32	200012S.....	23	225405.....	47
072814.....	32	200014S.....	23	225600.....	47
072818.....	32	200016S.....	23	225900.....	47
075020.....	33	200018S.....	23	226000.....	47
080001.....	18	200020S.....	23	229002.....	21
080003.....	18	200022S.....	23	229003.....	21
080005.....	18	200024S.....	23	229004.....	21
095070.....	48	200026S.....	23	229005.....	21
095080.....	48	200028S.....	23	229027S.....	22
095090.....	48	200030S.....	23	229028S.....	22
095160.....	48	210310.....	19	229037S.....	22
095250.....	48	210312.....	19	229038S.....	22

229101.....	21	26812529	600709.....	33
229227S.....	21, 22	26813629	600715.....	33
229228S.....	22	26814529	600716.....	33
229237S.....	21, 22	26822029	600717.....	47
229238S.....	22	268230LF.....	.29	600718.....	33
229961.....	21	268230RT.....	.29	600719.....	33
229965.....	21	268231.....	.29	600720.....	33
229966.....	21	268232.....	.29	600721.....	33
229970.....	20	268233.....	.29	600722.....	33
229975.....	21	26832529	600724.....	33
229976.....	21	26833529	600726.....	33
229990.....	20	26834029	600730.....	33
229992.....	21	268410L.....	.29	600731.....	31, 33
229996.....	20	268410R.....	.29	600740.....	33
260100.....	29	268420L.....	.29	997301	21
260515.....	29	268420R.....	.29	997311	21
260520.....	29	268430L.....	.29		
260525.....	29	268430R.....	.29		
260530.....	29	268440L.....	.29		
260535.....	29	268440R.....	.29		
261101.....	28	26851029		
261201.....	28	26861029		
261301.....	28	26864029		
261401.....	28	26865029		
262100.....	28	26866029		
262101.....	28	26870029		
262102.....	28	26870629		
262200.....	28	26872529		
262201.....	28	286210SND30		
262202.....	28	286212SND30		
262300.....	28	286214SND30		
262301.....	28	286216SND30		
262302.....	28	286218SND30		
262400.....	28	286220SND30		
262401.....	28	286222SND30		
262402.....	28	286224SND30		
263100L.....	28	286312SND30		
263100R.....	28	286314SND30		
263200L.....	28	286316SND30		
263200R.....	28	286318SND30		
263300L.....	28	286320SND31		
263300R.....	28	286322SND31		
263400L.....	28	286324SND31		
263400R.....	28	286326SND31		
264515.....	28	286328SND31		
264515S.....	28	303100S30		
264520.....	28	303101S30		
264520S.....	28	303102S30		
264525.....	28	303210CS30		
264525S.....	28	303212CS30		
264530.....	28	303214CS30		
264530S.....	28	303216CS30		
264535.....	28	303218CS30		
264535S.....	28	303220CS30		
265100.....	29	303222CS30		
265200.....	29	303224CS30		
265300.....	29	303312CS30		
265400.....	29	303314CS30		
266100.....	29	303316CS30		
266101.....	29	303318CS30		
266102.....	29	303320CS30		
266200.....	29	303322CS30		
266201.....	29	303324CS30		
266202.....	29	303326CS30		
266300.....	29	303328CS30		
266301.....	29	30340031		
266302.....	29	30340131		
266400.....	29	30340231		
266401.....	29	30340331		
266402.....	29	30340431		
267100LT.....	29	30340531		
267100RT.....	29	30340631		
267200LT.....	29	30340731		
267200RT.....	29	30340831		
267300LT.....	29	30340931		
267300RT.....	29	30341031		
267400LT.....	29	30341131		
267400RT.....	29	30341231		
268100.....	29	30345031		
268104.....	29	30345131		
268111.....	29	30345231		
268114.....	29	30350231		
268120.....	29	30350431		
268121.....	29	30351031		
268122.....	29	60070433		
268123.....	29	60070633	BRH-525-2D.....	7

A

ADP-900-01	53
ADP-900-02	53
ADP-900-03	53
ALG-100-00	6, 7, 9, 11, 13, 14
AWL-100-01	6, 9, 11, 13, 14, 37, 44
AWL-200-00	6, 7, 9, 11, 13, 14
AWL-420-00	12
AWL-520-01	7

B

BOD	56
BOD-0920-020-08STD	56
BOD-0920-020-10LRG	56
BOD-0920-020-10SML	56
BOD-0920-020-10STD	56
BOD-0920-020-12STD	56
BOD-0920-020-14LRG	56
BOD-0920-020-14SML	56
BOD-0920-020-14STD	56
BOD-0950-020-08LRG	56
BOD-0950-020-08SML	56
Bold® Compression Screw	23
BRH-100-05D	9, 11
BRH-100-05P	9, 11
BRH-100-10D	9, 11
BRH-100-10P	9, 11
BRH-100-20D	9, 11
BRH-100-20P	9, 11
BRH-100-30D	9, 11
BRH-100-30P	9, 11
BRH-100-40D	9, 11
BRH-100-40P	9, 11
BRH-100-40P	9, 11
BRH-100-50D	9, 11
BRH-100-50P	9, 11
BRH-200-10D	6
BRH-200-10P	6
BRH-200-20D	6
BRH-200-20P	6
BRH-200-30D	6
BRH-200-30P	6
BRH-200-40D	6
BRH-200-40P	6
BRH-300-20	44
BRH-300-22	44
BRH-300-24	44
BRH-350-04	44
BRH-410-10	14
BRH-410-20	14
BRH-410-30	14
BRH-410-40	14
BRH-442-10	13
BRH-442-20	13
BRH-442-30	13
BRH-442-40	13
BRH-445-10	15
BRH-445-20	15
BRH-445-30	15
BRH-445-40	15
BRH-445-50	15
BRH-525-0D	7
BRH-525-0P	7
BRH-525-1D	7
BRH-525-1P	7
BRH-525-2D	7

BRH-525-2P	7	CSA-870-01	46	IMP-200-oop	6
BRH-525-3D	7	CSA-870-02	46	IMP-300-00	37, 44
BRH-525-3P	7	CSA-870-03	46	IMP-350-00	44
BRH-525-4D	7	CSA-900-01	53	IMP-350-01	44
BRH-525-4P	7	CSA-900-02	53	IMP-410-00	14
BRH-525-5D	7	CSA-900-03	53	IMP-442-00	13
BRH-525-5P	7	CSA-900-04	53	IMP-600-00	37
BRH-600-45	37	CSA-910-02	58	IMP-600-01	37
BRH-600-55	37	CSA-910-03	58	IMP-900-01	53
BRH-600-65	37	CSA-925-01	58	IMP-910-00	58
BRH-900-00	53	CTD-900-01	53	INS-200-01	6
BRH-900-01	53	CTD-900-02	53	INS-350-00	44
BRH-900-02	53	CTD-900-03	53	INS-430-00	15
BRH-900-03	53	CUT-443-L	13	INS-600-00	37
BRH-910-38	58	CUT-443-M	13	INS-610-00	37
BRH-910-41	58	CUT-443-S	13	INS-860-00	46
BRH-910-44	58			INS-900-00	53
BRH-910-47	58			INS-910-01	58
BRH-910-50	58			INS-920-02	58
BRH-910-53	58			Integra® CMC implants	12
BRH-910-56	58			ITWFS instrumentation	31
BSW-0920-021-01	56			ITWFS Integra® Total Wrist Fusion System	30
				ITWFS set	31
C					
Cemented Stem Implants	56	DRUJ-610-1445	36		
CHRA-910-38/14	58	DRUJ-610-1455	36		
CHRA-910-41/15	58	DRUJ-610-1465	36		
CHRA-910-41/18	58	DRUJ-610-1645	36		
CHRA-910-44/16	58	DRUJ-610-1655	36		
CHRA-910-44/19	58	DRUJ-610-1745	36		
CHRA-910-47/17	58	DRUJ-610-1755	36		
CHRA-910-47/20	58	DRUJ-610-1765	36		
CHRA-910-50/18	58	DRUJ-610-1945	36		
CHRA-910-50/21	58	DRUJ-610-1955	36		
CHRA-910-53/19	58	DRUJ-610-1965	36		
CHRA-910-53/22	58	DRUJ implant	36		
CHRA-910-56/21	58				
CMC-410-10	14				
CMC-410-20	14				
CMC-410-30	14				
CMC-410-40	14				
CMC-DIS-HAL	13				
CMC-DIS-STR	13				
CMC Saddle™ implant	14				
CMRH-310-H20-WW	43				
CMRH-310-H22-WW	43				
CMRH-310-H24-WW	43				
CMRH-310-So1L-WW	43				
CMRH-310-So1S-WW	43				
CMRH-310-So2L-WW	43				
CMRH-310-So2S-WW	43				
CMRH-310-So3L-WW	43				
CMRH-310-So3S-WW	43				
CMRH-310-So4L-WW	43				
CMRH-310-So4S-WW	43				
CoCr Humeral Head Implants	56				
CSA-000-01	6, 9, 11, 14, 44				
CSA-000-03	15				
CSA-000-04	7, 13				
CSA-000-05	12				
CSA-000-07	58				
CSA-100-05	9, 11				
CSA-100-06	9, 11				
CSA-170-02	34				
CSA-200-02	6				
CSA-200-03	6				
CSA-350-02	44				
CSA-410-02	14				
CSA-420-02	12				
CSA-430-01	15				
CSA-443-02	13				
CSA-443-03	13				
CSA-443-04	13				
CSA-520-05	7				
CSA-520-06	7				
CSA-520-07	7				
CSA-710-01	34				
CSA-850-00	46				
CSA-850-01	46				
CSA-850-02	46				
CSA-850-03	46				
CSA-860-01	46				
CSA-860-02	46				
CSA-860-03	46				
D					
DRUJ-610-1445	36				
DRUJ-610-1455	36				
DRUJ-610-1465	36				
DRUJ-610-1645	36				
DRUJ-610-1655	36				
DRUJ-610-1745	36				
DRUJ-610-1755	36				
DRUJ-610-1765	36				
DRUJ-610-1945	36				
DRUJ-610-1955	36				
DRUJ-610-1965	36				
DRUJ implant	36				
E					
Elbow pathologies solutions	42				
Endorelease™ endoscopic cubital tunnel release system	48				
EXT-100-01	9, 11, 13				
EXT-200-00	6, 9, 11, 13, 14, 37				
EXT-350-00	44				
EXT-430-00	15				
EXT-910-00	58				
F					
FPDRA1	38				
FPDRA2	38				
FPDRA3	38				
G					
GLN-0920-030-00K	56				
GLN-0920-030-00P	56				
GLN-0920-030-01K	56				
GLN-0920-030-01P	56				
GLN-0920-030-02K	56				
GLN-0920-030-02P	56				
GLN-0920-030-03K	56				
GLN-0920-030-03P	56				
GOU-420-00	12				
H					
Hand Fractures and Deformity repair set	20				
HRA-900-40/16-WW	53				
HRA-900-44/15-WW	53				
HRA-900-44/18-WW	53				
HRA-900-48/17-WW	53				
HRA-900-48/20-WW	53				
HRA-900-52/18-WW	53				
HRA-900-52/21-WW	53				
HRA-900-56/21-WW	53				
I					
IMP-100-00D	9, 11				
IMP-100-00P	9, 11				
IMP-200-00D	6				

MHH-0920-010-5019E.....	56	PIP-200-1oP-WW	6	Silicon PIP implant	7
MHH-0920-010-5022C.....	56	PIP-200-2oD-WW	6	SMCP-500-05-WW.....	10
MHH-0920-010-5022E.....	56	PIP-200-2oP-WW	6	SMCP-500-10-WW.....	10
MHH-0920-010-5220C.....	56	PIP-200-3oD-WW	6	SMCP-500-20-WW.....	10
MHH-0920-010-5220E.....	56	PIP-200-3oP-WW	6	SMCP-500-30-WW.....	10
MRH-350-01.....	44	PIP-200-4oD-WW	6	SMCP-500-40-WW.....	10
MRH-350-02.....	44	PIP-200-4oP-WW	6	SMCP-500-50-WW.....	10
MRH-350-03.....	44	PIP implants.....	6	SMCP implants	10
MRH-350-04.....	44	PIP Instrument Set.....	6	SP 020	59
MRH-350-20L.....	44	Press Fit Stem Implants.....	56	SP 025.....	59
MRH-350-20S.....	44	Primary Body Implants.....	56	SP 030	59
MRH-350-22L.....	44	PSH	59	SP 035	59
MRH-350-22S.....	44	PSH2	59	SP 040	59
MRH-350-24L.....	44	PSH3	59	SP 045	59
MRH-350-24S.....	44	PSH plate – Surfix® Proximal humeral plate	59	SP 050	59
MRH Implants.....	44	Pycarbon Radial Head implants (CMRH).....	43	SP 055	59
MRH-PLN-00.....	44	PYD-420-145-WW	12	SP 060	59
MRH-RMR-01.....	44	PYD-420-165-WW	12	SP 065	59
MRH-RMR-02.....	44	PYD-420-167-WW	12	SP 070	59
MRH-RMR-03.....	44	PYD-420-168-WW	12	SP 075	59
MUH-600-H160.....	37	PYD-420-187-WW	12	SP 080	59
MUH-600-H175.....	37	PYD-420-189-WW	12	SP 085	59
MUH-600-H190.....	37	PyroCarbon Lunate Implant.....	34	SP 090	59
MUH-600-S45L.....	37	Pyrocarbon MCP implant	8	SP 095	59
MUH-600-S45M.....	37	Pyrocarbon PIP implant	6	SP 100	59
MUH-600-S45S.....	37	PyroDisk™	12	Spider™ – mini-spider™ / limited wrist fusion system ...	32, 33
MUH-600-S55L.....	37	PyroDisk™ implants	12	SPIN® Snap-off® screw – dia. 2.0 mm	25
MUH-600-S55M.....	37	PyroDisk™ instrument set	12	SPIP-520-0-WW	7
MUH-600-S55S.....	37	PyroTITAN HRA	58	SPIP-520-1-WW	7
MUH-600-S65L.....	37	PyroTITAN HRA Implants	58	SPIP-520-2-WW	7
MUH-600-S65M.....	37			SPIP-520-3-WW	7
MUH-600-S65S.....	37			SPIP-520-4-WW	7

Q

QWIX® Fixation Screw dia. 3.0 mm.....	23
---------------------------------------	----

R

RadFX™ implants	45
RET-443-OO	13
RET-900-01	53
RET-920-10L.....	58
RET-920-10S.....	58
RET-920-20.....	58
RET-920-30	58
RET-920-40L	58
RET-920-40S	58
RET-920-50L	58
RET-920-50S	58
RET-920-60	58
RET-920-60L	58
RET-920-60S	58
RET-920-60XL	58

S

Safeguard™ Mini-open carpal tunnel release system	18
Shoulder Retractors (Coated)	58
SHP-425-14	12
SHP-425-16	12
SHP-425-18	12
SHP-443-L	13
SHP-443-M	13
SHP-443-S	13
SHP-900-40/16	53
SHP-900-44/15	53
SHP-900-44/18	53
SHP-900-48/17	53
SHP-900-48/20	53
SHP-900-52/18	53
SHP-900-52/21	53
SHP-900-56/21	53
SHP-910-38-14	58
SHP-910-41-15	58
SHP-910-41-18	58
SHP-910-44-16	58
SHP-910-44-19	58
SHP-910-47-17	58
SHP-910-47-20	58
SHP-910-50-18	58
SHP-910-50-21	58
SHP-910-53-19	58
SHP-910-53-22	58
SHP-910-56-21	58
Silicon MCP implant	10

T

The Thumb carpometacarpal (CMC) joint	12
TITAN HRA Implants	53
TITAN HRA Resurfacing	53
TITAN® Humeral Resurfacing Arthroplasty	52
TMP-200-01	6
TMP-400-10	15
TMP-400-20	15
TMP-400-30	15
TMP-400-40	15
TMP-400-50	15

NUG-443-10M.....	13
NUG-443-10S.....	13
NUG-443-20M.....	13
NUG-443-20S.....	13
NUG-443-30L.....	13
NUG-443-30M.....	13
NUG-443-40L.....	13
NUG-443-40M.....	13
NuGrip™	13

O

OSG-100-00D	9, 11
OSG-100-00P	9, 11
OSG-200-00	6, 14
OSG-200-10P	6
OSG-200-10PV	6
OSG-200-20P	6
OSG-200-20PV	6
OSG-200-30P	6
OSG-200-30PV	6
OSG-200-40P	6
OSG-200-40PV	6
OSG-350-01	44
OSG-442-00	7, 13
OSG-600-00	37
OSG-600-01	37
OSG-610-00	37
OSG-910-01	58
OSG-910-02	58
OSG-910-03	58

P

PBI-800-00	46
PCS-430-10-WW	15
PCS-430-20-WW	15
PCS-430-30-WW	15
PCS-430-40-WW	15
PCS-430-50-WW	15
PCS™ spacer*	15
PDRA1	38
PDRA2	38
PDRA3	38
Pegged Glenoid Implants	56
PIP-200-1oD-WW	6

250
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
MILLIMETERS

250	TMP-410-01.....	14	TRL-715-02T	34
240	TMP-443-L.....	13	TRL-715-03T.....	34
230	TMP-443-M.....	13	TRL-715-04T	34
220	TMP-443-S.....	13	TRL-715-05T	34
210	TRL-100-05D.....	9, 11	TRL-900-40/16	53
200	TRL-100-05P.....	9, 11	TRL-900-44/15	53
190	TRL-100-10D.....	9, 11	TRL-900-44/18	53
180	TRL-100-10P.....	9, 11	TRL-900-48/17	53
170	TRL-100-20D.....	9, 11	TRL-900-48/20	53
160	TRL-100-20P.....	9, 11	TRL-900-52/18	53
150	TRL-100-30D.....	9, 11	TRL-900-52/21	53
140	TRL-100-30P.....	9, 11	TRL-900-56/21	53
130	TRL-100-40D.....	9, 11	TRL-910-38-14	58
120	TRL-100-40P.....	9, 11	TRL-910-41-15	58
110	TRL-100-50D.....	9, 11	TRL-910-41-18	58
100	TRL-100-50P.....	9, 11	TRL-910-44-16	58
90	TRL-202-10D	6	TRL-910-44-19	58
80	TRL-202-10P	6	TRL-910-47-17	58
70	TRL-202-20D	6	TRL-910-47-20	58
60	TRL-202-20P	6	TRL-910-50-18	58
50	TRL-202-30D	6	TRL-910-50-21	58
40	TRL-202-30P	6	TRL-910-53-19	58
30	TRL-202-40D	6	TRL-910-53-22	58
20	TRL-202-40P	6	TRL-910-56-21	58
10	TRL-351-20L.....	44		
	TRL-351-20S	44		
	TRL-351-22L.....	44		
	TRL-351-22S.....	44		
	TRL-351-24L.....	44		
	TRL-351-24S.....	44		
	TRL-410-10M.....	14	UNI-CLIP®	24
	TRL-410-20M	14	Universal 2™ total wrist implant system	28, 29
	TRL-410-30M	14	Upper screw module	21
	TRL-410-40M	14		
	TRL-420-145	12		
	TRL-420-165	12		
	TRL-420-167	12		
	TRL-420-168	12		
	TRL-420-187	12		
	TRL-420-189	12		
	TRL-435-10	15		
	TRL-435-20	15		
	TRL-435-30	15		
	TRL-435-40	15		
	TRL-435-50	15		
	TRL-443-10M	13		
	TRL-443-10S	13		
	TRL-443-20M	13		
	TRL-443-20S	13		
	TRL-443-30L	13		
	TRL-443-30M	13		
	TRL-443-40L	13		
	TRL-443-40M	13		
	TRL-500-05	9, 11		
	TRL-500-10	9, 11		
	TRL-500-20	9, 11		
	TRL-500-30	9, 11		
	TRL-500-40	9, 11		
	TRL-500-50D	9, 11		
	TRL-520-0	7		
	TRL-520-1	7		
	TRL-520-2	7		
	TRL-520-3	7		
	TRL-520-4	7		
	TRL-520-5	7		
	TRL-600-H160	37		
	TRL-600-H175	37		
	TRL-600-H190	37		
	TRL-600-LNG	37		
	TRL-600-MED	37		
	TRL-600-S45	37		
	TRL-600-S55	37		
	TRL-600-S65	37		
	TRL-610-H145-S45	37		
	TRL-610-H145-S55	37		
	TRL-610-H145-S65	37		
	TRL-610-H160-S45	37		
	TRL-610-H160-S55	37		
	TRL-610-H160-S65	37		
	TRL-610-H175-S45	37		
	TRL-610-H175-S55	37		
	TRL-610-H175-S65	37		
	TRL-610-H190-S45	37		
	TRL-610-H190-S55	37		
	TRL-610-H190-S65	37		
	TRL-715-01T	34		

U

UNI-CLIP®	24
Universal 2™ total wrist implant system	28, 29
Upper screw module	21

V

V35 012	38
V35 014	38
V35 016	38
V35 018	38
V35 020	38
V35 022	38
V35 024	38
V35 026	38

W

WIFIX® plate – Surfix® Volar plate for distal radius	38
--	----



Distributed by

Integra LifeSciences Services (France) SAS

Sales & Marketing EMEA
Immeuble Séquoia 2 ■ 97 allée Alexandre Borodine
Parc technologique de la Porte des Alpes
69800 Saint Priest ■ FRANCE
Phone: +33 (0)4 37 47 59 00 ■ Fax: +33 (0)4 37 47 59 99
emea.info@integralife.com ■ integralife.eu

Customer Service

International: +33 (0)4 37 47 59 50 ■ +33 (0)4 37 47 59 25 (Fax) ■ csemea@integralife.com

United Kingdom: +44 (0)1 264 345 781 ■ +44 (0)1 264 363 782 (Fax) ■ csuk.ortho@integralife.com

France: +33 (0)4 37 47 59 10 ■ +33 (0)4 37 47 59 29 (Fax) ■ cs-ortho@integralife.com

Benelux: +32 (0)2 257 4130 ■ +32 (0)2 253 2466 (Fax) ■ custsvcbenelux@integralife.com

Switzerland: +41 (0)2 27 21 23 30 ■ +41 (0)2 27 21 23 99 (Fax) ■ custsvcsuisse@integralife.com

©2012 Integra LifeSciences Corporation. All rights reserved. Last revision date: 12/2012. ILS 02-02-005-01-12

PRODUCTS FOR SALE IN EUROPE, MIDDLE-EAST and AFRICA ONLY.



Availability of these products might vary from a given country or region to another, as a result of specific local regulatory approval or clearance requirements for sale in such country or region. Always refer to the appropriate instructions for use for complete clinical instructions. Non contractual document. The manufacturer reserves the right, without prior notice, to modify the products in order to improve their quality. WARNING: Applicable laws restrict these products to sale by or on the order of a physician. All text and diagrams contained in this catalog are intended as guidelines and are for illustrative purposes only. No information included in this catalog is intended to replace the Directions for Use packaged with each Integra product. Always refer to the appropriate Directions for Use for complete clinical instructions in particular for contraindications. For technical and additional clinical information on Integra products, please contact your Integra local sales representative. Nurip, Safeguard, Saddle, Kompressor, Universal2, Spider, First Choice, RADFx, Catalyst, EndoRelease, Titan, PyroTitan, PyroDisc are trademark of Integra Lifesciences Corporation or its subsidiaries. Owix, Bold, Uni-Clip, Spin, Snap-Off, Wifix, Surfix, Integra and the Integra logo are registered trademarks of Integra Lifesciences Corporation or its subsidiaries in the United States and/or other countries. All the references numbers mentioned on this document are CE marked according to European council directive 93/42/EEC on medical devices and its relatives, unless specifically identified as "NOT CE MARKED."